

Please type a plus sign (+) inside this box → ☐

11-01-00

PTO/SB/05 (4/98)

Approved for use through 09/30/2000. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL <i>(Only for new nonprovisional applications under 37 C.F.R. § 1.53 (b))</i>		Attorney Docket No. LEX-0081-USA
First Inventor or Application Identifier Marie Harras et al.		Title Novel Human Transporter Proteins and Polynucleotide Encoding the Same
Express Mail label No. EL672756229US		

APPLICATION ELEMENTS <i>See MPEP chapter 600 concerning utility patent application contents</i>	ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231
---	--

- | | |
|--|--|
| <p>1. <input type="checkbox"/> *Fee Transmittal Form (e.g., PTO/SB/17)
<i>(Submit an original and a duplicate for fee processing)</i></p> <p>2. <input checked="" type="checkbox"/> Specification [Total 25]
<i>(preferred arrangement set forth below)</i></p> <ul style="list-style-type: none"> - Descriptive title of the Invention - Cross References to Related Applications - Statement Regarding Fed sponsored R & D - Reference to Microfiche Appendix - Background of the Invention - Brief Summary of the Invention - Brief Description of the drawings (if filed) - Detailed Description - Claim(s) - Abstract of the disclosure <p>3. <input type="checkbox"/> Drawing(s) (35 U.S.C. 113) [Total 1]
<i>Sheets</i></p> <p>4. Oath or Declaration [Total 1]</p> <p>a. <input checked="" type="checkbox"/> Newly unexecuted (original or copy)</p> <p>b. <input type="checkbox"/> Copy from a prior application (37 C.F.R. § 1.63(d))
<i>(for continuation/divisional with Box 16 completed)</i></p> <p>i. <input type="checkbox"/> DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).</p> | <p>5. <input type="checkbox"/> Microfiche Computer Program (Appendix)</p> <p>6. Nucleotide and/or Amino Acid Sequence Submission
<i>(if applicable, all necessary)</i></p> <p>a. <input type="checkbox"/> Computer Readable Copy</p> <p>b. <input checked="" type="checkbox"/> Paper Copy (identical to computer copy)</p> <p>c. <input type="checkbox"/> Statement verifying identity of above copies</p> |
|--|--|

ACCOMPANYING APPLICATION PARTS

- | | |
|--|--|
| 7. <input type="checkbox"/> Assignment Papers (cover sheet & document(s)) | |
| 8. <input type="checkbox"/> 37 C.F.R. § 3.73(b) Statement
<i>(when there is an assignee)</i> | <input type="checkbox"/> Power of Attorney |
| 9. <input type="checkbox"/> English Translation Document <i>(if applicable)</i> | |
| 10. <input type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449 | <input type="checkbox"/> Copies of IDS Citations |
| 11. <input type="checkbox"/> Preliminary Amendment | |
| 12. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503)
<i>(Should be specifically itemized)</i> | |
| 13. <input checked="" type="checkbox"/> *Small Entity Statement(s) | <input type="checkbox"/> Statement filed in prior application, Status still proper and desired
<i>(PTO/B/09-12)</i> |
| 14. <input type="checkbox"/> Certified Copy of Priority Document(s)
<i>(if foreign priority is claimed)</i> | |
| 15. <input type="checkbox"/> Other: | |

NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).

16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No: _____

Prior application information: Examiner _____

Group/Art Unit: _____

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference.

17. CORRESPONDENCE ADDRESS

☒ Customer Number or Bar Code Label



or ☐ Correspondence address below

Name	24231			
Address	PATENT TRADEMARK OFFICE			
City	State	Zip Code		
Country	Telephone	(281) 362-6554	Fax	(281) 364-0155

Name (Print/Type)	Lance K. Ishimoto	Registration No.	41866
Signature	<i>[Signature]</i>	Date	October 31, 2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

**STATEMENT CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) & 1.27(c)) -- SMALL BUSINESS CONCERN**

Docket Number (Optional)
LEX-0081-USA

Applicant, Patentee, or Identifier: Marie Harras et al.

Application or Patent No.: _____

Filed or Issued: October 31, 2000

Title: Novel Human Transporter Proteins and Polynucleotides Encoding the Same

I hereby state that I am

- ☐ the owner of the small business concern identified below:
☒ an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF SMALL BUSINESS CONCERN Lexicon Genetics Incorporated

ADDRESS OF SMALL BUSINESS CONCERN 4000 Research Forest Drive, The Woodlands, TX 77381

I hereby state that the above identified small business concern qualifies as a small business concern as defined in 13 CFR Part 121 for purposes of paying reduced fees to the United States Patent and Trademark Office. Questions related to size standards for a small business concern may be directed to: Small Business Administration, Size Standards Staff, 409 Third Street, SW, Washington, DC 20416.

I hereby state that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention described in:

- ☒ the specification filed herewith with title as listed above.
☐ the application identified above.
☐ the patent identified above.

If the rights held by the above identified small business concern are not exclusive, each individual, concern, or organization having rights in the invention must file separate statements as to their status as small entities, and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e).

Each person concern, or organization having any rights in the invention is listed below:

- ☒ No such persons, concerns, or organizations exist.
☐ each such person, concerns, or organization is listed below:


Separate statements are required from each named person, concern, or organization having rights to the invention stating their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

NAME OF PERSON SIGNING Lance K. Ishimoto

TITLE OF PERSON IF OTHER THAN OWNER Vice President - Intellectual Property

ADDRESS OF PERSON SIGNING 4000 Research Forest Drive, The Woodlands, TX 77381

SIGNATURE 
Reg. No. 41,866

DATE October 31, 2000

**NOVEL HUMAN TRANSPORTER PROTEINS AND
POLYNUCLEOTIDES ENCODING THE SAME**

5 The present application claims the benefit of U.S.
Provisional Application Number 60/163,018 which was filed on
November 2, 1999 and is herein incorporated by reference in its
entirety.

1. INTRODUCTION

10 The present invention relates to the discovery,
identification, and characterization of novel human
polynucleotides encoding proteins that share sequence similarity
with mammalian transporter proteins. The invention encompasses
the described polynucleotides, host cell expression systems, the
15 encoded proteins, fusion proteins, polypeptides and peptides,
antibodies to the encoded proteins and peptides, and genetically
engineered animals that either lack or over express the disclosed
genes, antagonists and agonists of the proteins, and other
compounds that modulate the expression or activity of the proteins
20 encoded by the disclosed genes that can be used for diagnosis,
drug screening, clinical trial monitoring, the treatment of
diseases and disorders, or otherwise contributing to the quality
of life.

2. BACKGROUND OF THE INVENTION

25 Transporter proteins are integral membrane proteins that
mediate or facilitate the passage of materials across the lipid
bilayer. Given that the transport of materials across the
membrane can play an important physiological role, transporter
proteins are good drug targets. Additionally, one of the
30 mechanisms of drug resistance involves diseased cells using
cellular transporter systems to export chemotherapeutic agents
from the cell. Such mechanisms are particularly relevant to cells
manifesting resistance to a multiplicity of drugs.

3. SUMMARY OF THE INVENTION

The present invention relates to the discovery, identification, and characterization of nucleotides that encode novel human proteins, and the corresponding amino acid sequences of these proteins. The novel human proteins (NHPs) described for the first time herein share structural similarity with mammalian multi-drug resistance (MDR) proteins and cellular transporters.

The novel human nucleic acid sequences described herein, encode alternative proteins/open reading frames (ORFs) of 659, 705, 1,063, 496, 542, 900, 978, 1,024, 1,382, 815, 861, 1,219, and amino acids in length (see SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, and 24 respectively).

The invention also encompasses agonists and antagonists of the described NHPs, including small molecules, large molecules, mutant NHPs, or portions thereof that compete with native NHP, peptides, and antibodies, as well as nucleotide sequences that can be used to inhibit the expression of the described NHPs (e.g., antisense and ribozyme molecules, and gene or regulatory sequence replacement constructs) or to enhance the expression of the described NHP genes (e.g., expression constructs that place the described gene under the control of a strong promoter system), and transgenic animals that express a NHP transgene, or "knock-outs" (which can be conditional) that do not express a functional NHP. A knockout ES cell line has been produced that contains a gene trap mutation in the murine ortholog of the described gene.

Further, the present invention also relates to processes for identifying compounds that modulate, *i.e.*, act as agonists or antagonists, of NHP expression and/or NHP activity that utilize purified preparations of the described NHPs and/or NHP product, or cells expressing the same. Such compounds can be used as therapeutic agents for the treatment of any of a wide variety of symptoms associated with biological disorders or imbalances.

4. DESCRIPTION OF THE SEQUENCE LISTING AND FIGURES

The Sequence Listing provides the sequences of the described NHP ORFs that encode the described NHP amino acid sequences. SEQ ID NO:25 describes a NHP ORF as well as flanking 5' and 3'

5 sequences.

5. DETAILED DESCRIPTION OF THE INVENTION

The NHPs, described for the first time herein, are novel proteins that are expressed in, *inter alia*, human cell lines, predominantly in human mammary gland, as well as human fetal liver, prostate, testis, and gene trapped human cells.

The present invention encompasses the nucleotides presented in the Sequence Listing, host cells expressing such nucleotides, the expression products of such nucleotides, and: (a) nucleotides that encode mammalian homologs of the described genes, including the specifically described NHPs, and the NHP products; (b) nucleotides that encode one or more portions of the NHPs that correspond to functional domains, and the polypeptide products specified by such nucleotide sequences, including but not limited to the novel regions of any active domain(s); (c) isolated nucleotides that encode mutant versions, engineered or naturally occurring, of the described NHPs in which all or a part of at least one domain is deleted or altered, and the polypeptide products specified by such nucleotide sequences, including but not limited to soluble proteins and peptides in which all or a portion of the signal sequence is deleted; (d) nucleotides that encode chimeric fusion proteins containing all or a portion of a coding region of an NHP, or one of its domains (e.g., a receptor or ligand binding domain, accessory protein/self-association domain, etc.) fused to another peptide or polypeptide; or (e) therapeutic or diagnostic derivatives of the described polynucleotides such as oligonucleotides, antisense polynucleotides, ribozymes, dsRNA, or gene therapy constructs comprising a sequence first disclosed in

the Sequence Listing. As discussed above, the present invention includes: (a) the human DNA sequences presented in the Sequence Listing (and vectors comprising the same) and additionally contemplates any nucleotide sequence encoding a contiguous NHP open reading frame (ORF) that hybridizes to a complement of a DNA sequence presented in the Sequence Listing under highly stringent conditions, e.g., hybridization to filter-bound DNA in 0.5 M NaHPO₄, 7% sodium dodecyl sulfate (SDS), 1 mM EDTA at 65°C, and washing in 0.1xSSC/0.1% SDS at 68°C (Ausubel F.M. et al., eds., 1989, Current Protocols in Molecular Biology, Vol. I, Green Publishing Associates, Inc., and John Wiley & sons, Inc., New York, at p. 2.10.3) and encodes a functionally equivalent gene product. Additionally contemplated are any nucleotide sequences that hybridize to the complement of a DNA sequence that encodes and expresses an amino acid sequence presented in the Sequence Listing under moderately stringent conditions, e.g., washing in 0.2xSSC/0.1% SDS at 42°C (Ausubel et al., 1989, *supra*), yet still encodes a functionally equivalent NHP product. Functional equivalents of a NHP include naturally occurring NHPs present in other species and mutant NHPs whether naturally occurring or engineered (by site directed mutagenesis, gene shuffling, directed evolution as described in, for example, U.S. Patent No. 5,837,458). The invention also includes degenerate nucleic acid variants of the disclosed NHP polynucleotide sequences.

Additionally contemplated are polynucleotides encoding NHP ORFs, or their functional equivalents, encoded by polynucleotide sequences that are about 99, 95, 90, or about 85 percent similar or identical to corresponding regions of the nucleotide sequences of the Sequence Listing (as measured by BLAST sequence comparison analysis using, for example, the GCG sequence analysis package using standard default settings).

The invention also includes nucleic acid molecules, preferably DNA molecules, that hybridize to, and are therefore the complements of, the described NHP gene nucleotide sequences. Such hybridization conditions may be highly stringent or less highly stringent, as described above. In instances where the nucleic acid molecules are deoxyoligonucleotides ("DNA oligos"), such molecules are generally about 16 to about 100 bases long, or about 20 to about 80, or about 34 to about 45 bases long, or any variation or combination of sizes represented therein that incorporate a contiguous region of sequence first disclosed in the Sequence Listing. Such oligonucleotides can be used in conjunction with the polymerase chain reaction (PCR) to screen libraries, isolate clones, and prepare cloning and sequencing templates, etc..

Alternatively, such NHP oligonucleotides can be used as hybridization probes for screening libraries, and assessing gene expression patterns (particularly using a micro array or high-throughput "chip" format). Additionally, a series of the described NHP oligonucleotide sequences, or the complements thereof, can be used to represent all or a portion of the described NHP sequences. The oligonucleotides, typically between about 16 to about 40 (or any whole number within the stated range) nucleotides in length can partially overlap each other and/or the NHP sequence may be represented using oligonucleotides that do not overlap. Accordingly, the described NHP polynucleotide sequences shall typically comprise at least about two or three distinct oligonucleotide sequences of at least about 18, and preferably about 25, nucleotides in length that are each first disclosed in the described Sequence Listing. Such oligonucleotide sequences may begin at any nucleotide present within a sequence in the Sequence Listing and proceed in either a sense (5'-to-3') orientation vis-a-vis the described sequence or in an antisense orientation.

For oligonucleotide probes, highly stringent conditions may refer, e.g., to washing in 6xSSC/0.05% sodium pyrophosphate at 37°C (for 14-base oligos), 48°C (for 17-base oligos), 55°C (for 20-base oligos), and 60°C (for 23-base oligos). These nucleic acid molecules may encode or act as NHP gene antisense molecules, useful, for example, in NHP gene regulation (for and/or as antisense primers in amplification reactions of NHP gene nucleic acid sequences). With respect to NHP gene regulation, such techniques can be used to regulate biological functions. Further, such sequences may be used as part of ribozyme and/or triple helix sequences that are also useful for NHP gene regulation.

Inhibitory antisense or double stranded oligonucleotides can additionally comprise at least one modified base moiety which is selected from the group including but not limited to

- 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xantine, 4-acetylcytosine, 5-(carboxyhydroxymethyl)uracil, 5-carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine.

The antisense oligonucleotide can also comprise at least one modified sugar moiety selected from the group including but not limited to arabinose, 2-fluoroarabinose, xylulose, and hexose.

In yet another embodiment, the antisense oligonucleotide will comprise at least one modified phosphate backbone selected from the group consisting of a phosphorothioate, a phosphorodithioate, a phosphoramidothioate, a phosphoramidate, a phosphordiamidate, a methylphosphonate, an alkyl phosphotriester, and a formacetal or analog thereof.

In yet another embodiment, the antisense oligonucleotide is an α -anomeric oligonucleotide. An α -anomeric oligonucleotide forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual β -units, the strands run parallel to each other (Gautier *et al.*, 1987, Nucl. Acids Res. 15:6625-6641). The oligonucleotide is a 2'-O-methylribonucleotide (Inoue *et al.*, 1987, Nucl. Acids Res. 15:6131-6148), or a chimeric RNA-DNA analogue (Inoue *et al.*, 1987, FEBS Lett. 215:327-330). Alternatively, double stranded RNA can be used to disrupt the expression and function of a targeted NHP.

Oligonucleotides of the invention can be synthesized by standard methods known in the art, e.g. by use of an automated DNA synthesizer (such as are commercially available from Biosearch, Applied Biosystems, etc.). As examples, phosphorothioate oligonucleotides can be synthesized by the method of Stein *et al.* (1988, Nucl. Acids Res. 16:3209), and methylphosphonate oligonucleotides can be prepared by use of controlled pore glass polymer supports (Sarin *et al.*, 1988, Proc. Natl. Acad. Sci. U.S.A. 85:7448-7451), etc.

Low stringency conditions are well known to those of skill in the art, and will vary predictably depending on the specific organisms from which the library and the labeled sequences are derived. For guidance regarding such conditions see, for example, Sambrook *et al.*, 1989, Molecular Cloning, A Laboratory Manual (and periodic updates thereof), Cold Springs Harbor Press, N.Y.; and

Ausubel et al., 1989, Current Protocols in Molecular Biology, Green Publishing Associates and Wiley Interscience, N.Y.

Alternatively, suitably labeled NHP nucleotide probes can be used to screen a human genomic library using appropriately
5 stringent conditions or by PCR. The identification and characterization of human genomic clones is helpful for identifying polymorphisms (including, but not limited to, nucleotide repeats, microsatellite alleles, single nucleotide polymorphisms, or coding single nucleotide polymorphisms),
10 determining the genomic structure of a given locus/allele, and designing diagnostic tests. For example, sequences derived from regions adjacent to the intron/exon boundaries of the human gene can be used to design primers for use in amplification assays to detect mutations within the exons, introns, splice sites (e.g.,
15 splice acceptor and/or donor sites), etc., that can be used in diagnostics and pharmacogenomics.

Further, a NHP gene homolog can be isolated from nucleic acid from an organism of interest by performing PCR using two degenerate or "wobble" oligonucleotide primer pools designed on
20 the basis of amino acid sequences within the NHP products disclosed herein. The template for the reaction may be total RNA, mRNA, and/or cDNA obtained by reverse transcription of mRNA prepared from human or non-human cell lines or tissue known or suspected to express an allele of a NHP gene.

25 The PCR product can be subcloned and sequenced to ensure that the amplified sequences represent the sequence of the desired NHP gene. The PCR fragment can then be used to isolate a full length cDNA clone by a variety of methods. For example, the amplified fragment can be labeled and used to screen a cDNA library, such as
30 a bacteriophage cDNA library. Alternatively, the labeled fragment can be used to isolate genomic clones via the screening of a genomic library.

PCR technology can also be used to isolate full length cDNA sequences. For example, RNA can be isolated, following standard procedures, from an appropriate cellular or tissue source (*i.e.*, one known, or suspected, to express a NHP gene). A reverse transcription (RT) reaction can be performed on the RNA using an oligonucleotide primer specific for the most 5' end of the amplified fragment for the priming of first strand synthesis. The resulting RNA/DNA hybrid may then be "tailed" using a standard terminal transferase reaction, the hybrid may be digested with RNase H, and second strand synthesis may then be primed with a complementary primer. Thus, cDNA sequences upstream of the amplified fragment can be isolated. For a review of cloning strategies that can be used, see *e.g.*, Sambrook *et al.*, 1989, *supra*.

A cDNA encoding a mutant NHP gene can be isolated, for example, by using PCR. In this case, the first cDNA strand may be synthesized by hybridizing an oligo-dT oligonucleotide to mRNA isolated from tissue known or suspected to be expressed in an individual putatively carrying a mutant NHP allele, and by extending the new strand with reverse transcriptase. The second strand of the cDNA is then synthesized using an oligonucleotide that hybridizes specifically to the 5' end of the normal gene. Using these two primers, the product is then amplified via PCR, optionally cloned into a suitable vector, and subjected to DNA sequence analysis through methods well known to those of skill in the art. By comparing the DNA sequence of the mutant NHP allele to that of a corresponding normal NHP allele, the mutation(s) responsible for the loss or alteration of function of the mutant NHP gene product can be ascertained.

Alternatively, a genomic library can be constructed using DNA obtained from an individual suspected of or known to carry a mutant NHP allele (*e.g.*, a person manifesting a NHP-associated phenotype such as, for example, obesity, high blood pressure,

connective tissue disorders, infertility, etc.), or a cDNA library can be constructed using RNA from a tissue known, or suspected, to express a mutant NHP allele. A normal NHP gene, or any suitable fragment thereof, can then be labeled and used as a probe to

5 identify the corresponding mutant NHP allele in such libraries. Clones containing mutant NHP gene sequences can then be purified and subjected to sequence analysis according to methods well known to those skilled in the art.

Additionally, an expression library can be constructed
10 utilizing cDNA synthesized from, for example, RNA isolated from a tissue known, or suspected, to express a mutant NHP allele in an individual suspected of or known to carry such a mutant allele. In this manner, gene products made by the putatively mutant tissue can be expressed and screened using standard antibody screening
15 techniques in conjunction with antibodies raised against a normal NHP product, as described below. (For screening techniques, see, for example, Harlow, E. and Lane, eds., 1988, "Antibodies: A Laboratory Manual", Cold Spring Harbor Press, Cold Spring Harbor.)

Additionally, screening can be accomplished by screening with
20 labeled NHP fusion proteins, such as, for example, alkaline phosphatase-NHP or NHP-alkaline phosphatase fusion proteins. In cases where a NHP mutation results in an expressed gene product with altered function (e.g., as a result of a missense or a frameshift mutation), polyclonal antibodies to a NHP are likely to
25 cross-react with a corresponding mutant NHP gene product. Library clones detected via their reaction with such labeled antibodies can be purified and subjected to sequence analysis according to methods well known in the art.

The invention also encompasses (a) DNA vectors that contain
30 any of the foregoing NHP coding sequences and/or their complements (*i.e.*, antisense); (b) DNA expression vectors that contain any of the foregoing NHP coding sequences operatively associated with a regulatory element that directs the expression of the coding

sequences (for example, baculo virus as described in U.S. Patent No. 5,869,336 herein incorporated by reference); (c) genetically engineered host cells that contain any of the foregoing NHP coding sequences operatively associated with a regulatory element that
5 directs the expression of the coding sequences in the host cell; and (d) genetically engineered host cells that express an endogenous NHP gene under the control of an exogenously introduced regulatory element (*i.e.*, gene activation). As used herein, regulatory elements include, but are not limited to,
10 inducible and non-inducible promoters, enhancers, operators and other elements known to those skilled in the art that drive and regulate expression. Such regulatory elements include but are not limited to the human cytomegalovirus (hCMV) immediate early gene, regulatable, viral elements
15 (particularly retroviral LTR promoters), the early or late promoters of SV40 adenovirus, the *lac* system, the *trp* system, the *TAC* system, the *TRC* system, the major operator and promoter regions of phage lambda, the control regions of fd coat protein, the promoter for 3-phosphoglycerate kinase
20 (PGK), the promoters of acid phosphatase, and the promoters of the yeast α -mating factors.

The present invention also encompasses antibodies and anti-idiotypic antibodies (including Fab fragments), antagonists and agonists of the NHP, as well as compounds or nucleotide constructs
25 that inhibit expression of a NHP gene (transcription factor inhibitors, antisense and ribozyme molecules, or gene or regulatory sequence replacement constructs), or promote the expression of a NHP (*e.g.*, expression constructs in which NHP coding sequences are operatively associated with expression
30 control elements such as promoters, promoter/enhancers, etc.).

The NHPs or NHP peptides, NHP fusion proteins, NHP nucleotide sequences, antibodies, antagonists and agonists can be useful for the detection of mutant NHPs or inappropriately expressed NHPs for

the diagnosis of disease. The NHP proteins or peptides, NHP fusion proteins, NHP nucleotide sequences, host cell expression systems, antibodies, antagonists, agonists and genetically engineered cells and animals can be used for screening for drugs (or high throughput screening of combinatorial libraries) effective in the treatment of the symptomatic or phenotypic manifestations of perturbing the normal function of NHP in the body. The use of engineered host cells and/or animals may offer an advantage in that such systems allow not only for the identification of compounds that bind to the endogenous receptor for an NHP, but can also identify compounds that trigger NHP-mediated activities or pathways.

Finally, the NHP products can be used as therapeutics. For example, soluble derivatives such as NHP peptides/domains corresponding the NHPs, NHP fusion protein products (especially NHP-Ig fusion proteins, *i.e.*, fusions of a NHP, or a domain of a NHP, to an IgFc), NHP antibodies and anti-idiotypic antibodies (including Fab fragments), antagonists or agonists (including compounds that modulate or act on downstream targets in a NHP-mediated pathway) can be used to directly treat diseases or disorders. For instance, the administration of an effective amount of soluble NHP, or a NHP-IgFc fusion protein or an anti-idiotypic antibody (or its Fab) that mimics the NHP could activate or effectively antagonize the endogenous NHP receptor. Nucleotide constructs encoding such NHP products can be used to genetically engineer host cells to express such products *in vivo*; these genetically engineered cells function as "bioreactors" in the body delivering a continuous supply of a NHP, a NHP peptide, or a NHP fusion protein to the body. Nucleotide constructs encoding functional NHPs, mutant NHPs, as well as antisense and ribozyme molecules can also be used in "gene therapy" approaches for the modulation of NHP expression. Thus, the invention also

encompasses pharmaceutical formulations and methods for treating biological disorders.

Various aspects of the invention are described in greater detail in the subsections below.

5

5.1 THE NHP SEQUENCES

The cDNA sequences and the corresponding deduced amino acid sequences of the described NHPs are presented in the Sequence Listing. The NHP nucleotides were obtained from clustered human
10 gene trapped sequences, ESTs, and human testis and mammary gland cDNA libraries (Edge Biosystems, Gaithersburg, MD). The described sequences can also incorporate several coding region single nucleotide polymorphisms (cSNPs). The first polymorphism is a A to G transition at position 704 of, for example, SED ID NO: 23,
15 which results in a corresponding change of gln to an arg at, for example, position 235 of SEQ ID NO:24; the second can occur at position 2184 of, for example, SEQ ID NO:23 that changes a gln to a his at position 728 of, for example, SEQ ID NO:24; and the third cSNP involves a silent T to C transition at position 2,436 of, for
20 example, SEQ ID NO:23.

Similar MDR encoding sequences, uses, and applications that are germane to the described NHPs, are described in U.S. Patents Nos. 5,198,344 and 5,866,699 which are herein incorporated by reference in their entirety.

25

5.2 NHPS AND NHP POLYPEPTIDES

NHPs, polypeptides, peptide fragments, mutated, truncated, or deleted forms of the NHPs, and/or NHP fusion proteins can be prepared for a variety of uses. These uses include but are not
30 limited to the generation of antibodies, as reagents in diagnostic assays, for the identification of other cellular gene products related to a NHP, as reagents in assays for screening for compounds that can be as pharmaceutical reagents useful in the

therapeutic treatment of mental, biological, or medical disorders and diseases. Given the similarity information and expression data, the described NHPs can be targeted (by drugs, oligos, antibodies, etc,) in order to treat disease, or to therapeutically
5 augment the efficacy of, for example, chemotherapeutic agents used in the treatment of breast or prostate cancer.

The Sequence Listing discloses the amino acid sequences encoded by the described NHP genes. The NHPs typically display have initiator methionines in DNA sequence contexts consistent
10 with a translation initiation site.

The NHP amino acid sequences of the invention include the amino acid sequence presented in the Sequence Listing as well as analogues and derivatives thereof. Further, corresponding NHP homologues from other species are encompassed by the invention.
15 In fact, any NHP protein encoded by the NHP nucleotide sequences described above are within the scope of the invention, as are any novel polynucleotide sequences encoding all or any novel portion of an amino acid sequence presented in the Sequence Listing. The degenerate nature of the genetic code is well known, and,
20 accordingly, each amino acid presented in the Sequence Listing, is generically representative of the well known nucleic acid "triplet" codon, or in many cases codons, that can encode the amino acid. As such, as contemplated herein, the amino acid sequences presented in the Sequence Listing, when taken together
25 with the genetic code (see, for example, Table 4-1 at page 109 of "Molecular Cell Biology", 1986, J. Darnell et al. eds., Scientific American Books, New York, NY, herein incorporated by reference) are generically representative of all the various permutations and combinations of nucleic acid sequences that can encode such amino
30 acid sequences.

The invention also encompasses proteins that are functionally equivalent to the NHPs encoded by the presently described nucleotide sequences as judged by any of a number of criteria,

including, but not limited to, the ability to bind and cleave a substrate of a NHP, or the ability to effect an identical or complementary downstream pathway, or a change in cellular metabolism (e.g., proteolytic activity, ion flux, tyrosine

5 phosphorylation, etc.). Such functionally equivalent NHP proteins include, but are not limited to, additions or substitutions of amino acid residues within the amino acid sequence encoded by the NHP nucleotide sequences described above, but which result in a silent change, thus producing a functionally equivalent gene
10 product. Amino acid substitutions may be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity, and/or the amphipathic nature of the residues involved. For example, nonpolar (hydrophobic) amino acids include alanine, leucine, isoleucine, valine, proline, phenylalanine,
15 tryptophan, and methionine; polar neutral amino acids include glycine, serine, threonine, cysteine, tyrosine, asparagine, and glutamine; positively charged (basic) amino acids include arginine, lysine, and histidine; and negatively charged (acidic) amino acids include aspartic acid and glutamic acid.

20 A variety of host-expression vector systems can be used to express the NHP nucleotide sequences of the invention. Where, as in the present instance, the NHP peptide or polypeptide is thought to be membrane protein, the hydrophobic regions of the protein can be excised and the resulting soluble peptide or polypeptide can be
25 recovered from the culture media. Such expression systems also encompass engineered host cells that express a NHP, or functional equivalent, *in situ*. Purification or enrichment of a NHP from such expression systems can be accomplished using appropriate detergents and lipid micelles and methods well known to those
30 skilled in the art. However, such engineered host cells themselves may be used in situations where it is important not only to retain the structural and functional characteristics of

the NHP, but to assess biological activity, e.g., in drug screening assays.

The expression systems that may be used for purposes of the invention include but are not limited to microorganisms such as
5 bacteria (e.g., *E. coli*, *B. subtilis*) transformed with recombinant bacteriophage DNA, plasmid DNA or cosmid DNA expression vectors containing NHP nucleotide sequences; yeast (e.g., *Saccharomyces*, *Pichia*) transformed with recombinant yeast expression vectors containing NHP nucleotide sequences; insect cell systems infected
10 with recombinant virus expression vectors (e.g., baculovirus) containing NHP sequences; plant cell systems infected with recombinant virus expression vectors (e.g., cauliflower mosaic virus, CaMV; tobacco mosaic virus, TMV) or transformed with recombinant plasmid expression vectors (e.g., Ti plasmid)
15 containing NHP nucleotide sequences; or mammalian cell systems (e.g., COS, CHO, BHK, 293, 3T3) harboring recombinant expression constructs containing promoters derived from the genome of mammalian cells (e.g., metallothionein promoter) or from mammalian viruses (e.g., the adenovirus late promoter; the vaccinia virus
20 7.5K promoter).

In bacterial systems, a number of expression vectors may be advantageously selected depending upon the use intended for the NHP product being expressed. For example, when a large quantity of such a protein is to be produced for the generation of
25 pharmaceutical compositions of or containing NHP, or for raising antibodies to a NHP, vectors that direct the expression of high levels of fusion protein products that are readily purified may be desirable. Such vectors include, but are not limited, to the *E. coli* expression vector pUR278 (Ruther et al., 1983, EMBO J.
30 2:1791), in which a NHP coding sequence may be ligated individually into the vector in frame with the *lacZ* coding region so that a fusion protein is produced; pIN vectors (Inouye &

Inouye, 1985, Nucleic Acids Res. 13:3101-3109; Van Heeke & Schuster, 1989, J. Biol. Chem. 264:5503-5509); and the like. pGEX vectors (Pharmacia or American Type Culture Collection) can also be used to express foreign polypeptides as fusion proteins with glutathione S-transferase (GST). In general, such fusion proteins are soluble and can easily be purified from lysed cells by adsorption to glutathione-agarose beads followed by elution in the presence of free glutathione. The PGEX vectors are designed to include thrombin or factor Xa protease cleavage sites so that the cloned target gene product can be released from the GST moiety.

In an insect system, *Autographa californica* nuclear polyhydrosis virus (AcNPV) is used as a vector to express foreign genes. The virus grows in *Spodoptera frugiperda* cells. A NHP gene coding sequence may be cloned individually into non-essential regions (for example the polyhedrin gene) of the virus and placed under control of an AcNPV promoter (for example the polyhedrin promoter). Successful insertion of NHP gene coding sequence will result in inactivation of the polyhedrin gene and production of non-occluded recombinant virus (i.e., virus lacking the proteinaceous coat coded for by the polyhedrin gene). These recombinant viruses are then used to infect *Spodoptera frugiperda* cells in which the inserted gene is expressed (e.g., see Smith et al., 1983, J. Virol. 46:584; Smith, U.S. Patent No. 4,215,051).

In mammalian host cells, a number of viral-based expression systems may be utilized. In cases where an adenovirus is used as an expression vector, the NHP nucleotide sequence of interest may be ligated to an adenovirus transcription/translation control complex, e.g., the late promoter and tripartite leader sequence. This chimeric gene may then be inserted in the adenovirus genome by in vitro or in vivo recombination. Insertion in a non-essential region of the viral genome (e.g., region E1 or E3) will result in a recombinant virus that is viable and capable of expressing a NHP product in infected hosts (e.g., See Logan &

Shenk, 1984, Proc. Natl. Acad. Sci. USA 81:3655-3659). Specific initiation signals may also be required for efficient translation of inserted NHP nucleotide sequences. These signals include the ATG initiation codon and adjacent sequences. In cases where an entire NHP gene or cDNA, including its own initiation codon and adjacent sequences, is inserted into the appropriate expression vector, no additional translational control signals may be needed. However, in cases where only a portion of a NHP coding sequence is inserted, exogenous translational control signals, including, perhaps, the ATG initiation codon, must be provided. Furthermore, the initiation codon must be in phase with the reading frame of the desired coding sequence to ensure translation of the entire insert. These exogenous translational control signals and initiation codons can be of a variety of origins, both natural and synthetic. The efficiency of expression may be enhanced by the inclusion of appropriate transcription enhancer elements, transcription terminators, etc. (See Bittner *et al.*, 1987, Methods in Enzymol. 153:516-544).

In addition, a host cell strain may be chosen that modulates the expression of the inserted sequences, or modifies and processes the gene product in the specific fashion desired. Such modifications (e.g., glycosylation) and processing (e.g., cleavage) of protein products may be important for the function of the protein. Different host cells have characteristic and specific mechanisms for the post-translational processing and modification of proteins and gene products. Appropriate cell lines or host systems can be chosen to ensure the correct modification and processing of the foreign protein expressed. To this end, eukaryotic host cells which possess the cellular machinery for proper processing of the primary transcript, glycosylation, and phosphorylation of the gene product may be used. Such mammalian host cells include, but are not limited to,

CHO, VERO, BHK, HeLa, COS, MDCK, 293, 3T3, WI38, and in particular, human cell lines.

For long-term, high-yield production of recombinant proteins, stable expression is preferred. For example, cell lines which stably express the NHP sequences described above can be engineered. Rather than using expression vectors which contain viral origins of replication, host cells can be transformed with DNA controlled by appropriate expression control elements (e.g., promoter, enhancer sequences, transcription terminators, polyadenylation sites, etc.), and a selectable marker. Following the introduction of the foreign DNA, engineered cells may be allowed to grow for 1-2 days in an enriched media, and then are switched to a selective media. The selectable marker in the recombinant plasmid confers resistance to the selection and allows cells to stably integrate the plasmid into their chromosomes and grow to form foci which in turn can be cloned and expanded into cell lines. This method may advantageously be used to engineer cell lines which express the NHP product. Such engineered cell lines may be particularly useful in screening and evaluation of compounds that affect the endogenous activity of the NHP product.

A number of selection systems may be used, including but not limited to the herpes simplex virus thymidine kinase (Wigler, et al., 1977, Cell 11:223), hypoxanthine-guanine phosphoribosyltransferase (Szybalska & Szybalski, 1962, Proc. Natl. Acad. Sci. USA 48:2026), and adenine phosphoribosyltransferase (Lowy, et al., 1980, Cell 22:817) genes can be employed in tk⁻, hgp⁻ or ap⁻ cells, respectively. Also, antimetabolite resistance can be used as the basis of selection for the following genes: dhfr, which confers resistance to methotrexate (Wigler, et al., 1980, Natl. Acad. Sci. USA 77:3567; O'Hare, et al., 1981, Proc. Natl. Acad. Sci. USA 78:1527); gpt, which confers resistance to mycophenolic acid (Mulligan & Berg, 1981, Proc. Natl. Acad. Sci. USA 78:2072); neo, which confers

resistance to the aminoglycoside G-418 (Colberre-Garapin, *et al.*, 1981, J. Mol. Biol. 150:1); and hygromycin (Santerre, *et al.*, 1984, Gene 30:147).

Alternatively, any fusion protein can be readily purified by
5 utilizing an antibody specific for the fusion protein being
expressed. For example, a system described by Janknecht *et al.*
allows for the ready purification of non-denatured fusion proteins
expressed in human cell lines (Janknecht, *et al.*, 1991, Proc.
Natl. Acad. Sci. USA 88:8972-8976). In this system, the gene of
10 interest is subcloned into a vaccinia recombination plasmid such
that the gene's open reading frame is translationally fused to an
amino-terminal tag consisting of six histidine residues. Extracts
from cells infected with recombinant vaccinia virus are loaded
onto Ni²⁺-nitriloacetic acid-agarose columns and histidine-tagged
15 proteins are selectively eluted with imidazole-containing buffers.

5.3 ANTIBODIES TO NHP PRODUCTS

Antibodies that specifically recognize one or more epitopes
of a NHP, or epitopes of conserved variants of a NHP, or peptide
20 fragments of a NHP are also encompassed by the invention. Such
antibodies include but are not limited to polyclonal antibodies,
monoclonal antibodies (mAbs), humanized or chimeric antibodies,
single chain antibodies, Fab fragments, F(ab')₂ fragments,
fragments produced by a Fab expression library, anti-idiotypic
25 (anti-Id) antibodies, and epitope-binding fragments of any of the
above.

The antibodies of the invention may be used, for example, in
the detection of NHP in a biological sample and may, therefore, be
utilized as part of a diagnostic or prognostic technique whereby
30 patients may be tested for abnormal amounts of NHP. Such
antibodies may also be utilized in conjunction with, for example,
compound screening schemes for the evaluation of the effect of
test compounds on expression and/or activity of a NHP gene

product. Additionally, such antibodies can be used in conjunction
gene therapy to, for example, evaluate the normal and/or
engineered NHP-expressing cells prior to their introduction into
the patient. Such antibodies may additionally be used as a method
5 for the inhibition of abnormal NHP activity. Thus, such
antibodies may, therefore, be utilized as part of treatment
methods.

For the production of antibodies, various host animals may be
immunized by injection with the NHP, an NHP peptide (e.g., one
10 corresponding the a functional domain of an NHP), truncated NHP
polypeptides (NHP in which one or more domains have been deleted),
functional equivalents of the NHP or mutated variant of the NHP.
Such host animals may include but are not limited to pigs,
rabbits, mice, goats, and rats, to name but a few. Various
15 adjuvants may be used to increase the immunological
response, depending on the host species, including but not
limited to Freund's adjuvant (complete and incomplete),
mineral salts such as aluminum hydroxide or aluminum
phosphate, surface active substances such as lysolecithin,
20 pluronic polyols, polyanions, peptides, oil emulsions, and
potentially useful human adjuvants such as BCG (bacille
Calmette-Guerin) and *Corynebacterium parvum*. Alternatively,
the immune response could be enhanced by combination and or
coupling with molecules such as keyhole limpet hemocyanin,
25 tetanus toxoid, diptheria toxoid, ovalbumin, cholera toxin
or fragments thereof. Polyclonal antibodies are
heterogeneous populations of antibody molecules derived from
the sera of the immunized animals.

Monoclonal antibodies, which are homogeneous populations of
30 antibodies to a particular antigen, can be obtained by any
technique which provides for the production of antibody molecules
by continuous cell lines in culture. These include, but are not
limited to, the hybridoma technique of Kohler and Milstein, (1975,

Nature 256:495-497; and U.S. Patent No. 4,376,110), the human B-cell hybridoma technique (Kosbor et al., 1983, Immunology Today 4:72; Cole et al., 1983, Proc. Natl. Acad. Sci. USA 80:2026-2030), and the EBV-hybridoma technique (Cole et al., 1985, Monoclonal
5 Antibodies And Cancer Therapy, Alan R. Liss, Inc., pp. 77-96). Such antibodies may be of any immunoglobulin class including IgG, IgM, IgE, IgA, IgD and any subclass thereof. The hybridoma producing the mAb of this invention may be cultivated in vitro or in vivo. Production of high titers of mAbs in vivo makes this the
10 presently preferred method of production.

In addition, techniques developed for the production of "chimeric antibodies" (Morrison et al., 1984, Proc. Natl. Acad. Sci., 81:6851-6855; Neuberger et al., 1984, Nature, 312:604-608; Takeda et al., 1985, Nature, 314:452-454) by splicing the genes
15 from a mouse antibody molecule of appropriate antigen specificity together with genes from a human antibody molecule of appropriate biological activity can be used. A chimeric antibody is a molecule in which different portions are derived from different animal species, such as those having a variable region derived
20 from a murine mAb and a human immunoglobulin constant region. Such technologies are described in U.S. Patents Nos. 6,075,181 and 5,877,397 and their respective disclosures which are herein incorporated by reference in their entirety.

25 Alternatively, techniques described for the production of single chain antibodies (U.S. Patent 4,946,778; Bird, 1988, Science 242:423-426; Huston et al., 1988, Proc. Natl. Acad. Sci. USA 85:5879-5883; and Ward et al., 1989, Nature 334:544-546) can be adapted to produce single chain antibodies against NHP gene
30 products. Single chain antibodies are formed by linking the heavy and light chain fragments of the Fv region via an amino acid bridge, resulting in a single chain polypeptide.

Antibody fragments which recognize specific epitopes may be generated by known techniques. For example, such fragments include, but are not limited to: the F(ab')₂ fragments which can be produced by pepsin digestion of the antibody molecule and the
5 Fab fragments which can be generated by reducing the disulfide bridges of the F(ab')₂ fragments. Alternatively, Fab expression libraries may be constructed (Huse et al., 1989, Science, 246:1275-1281) to allow rapid and easy identification of monoclonal Fab fragments with the desired specificity.

10 Antibodies to a NHP can, in turn, be utilized to generate anti-idiotypic antibodies that "mimic" a given NHP, using techniques well known to those skilled in the art. (See, e.g., Greenspan & Bona, 1993, FASEB J 7(5):437-444; and Nissinoff, 1991, J. Immunol. 147(8):2429-2438). For example antibodies which bind
15 to a NHP domain and competitively inhibit the binding of NHP to its cognate receptor can be used to generate anti-idiotypes that "mimic" the NHP and, therefore, bind and activate or neutralize a receptor. Such anti-idiotypic antibodies or Fab fragments of such anti-idiotypes can be used in therapeutic regimens involving a NHP
20 mediated pathway.

The present invention is not to be limited in scope by the specific embodiments described herein, which are intended as single illustrations of individual aspects of the invention, and functionally equivalent methods and components are within the
25 scope of the invention. Indeed, various modifications of the invention, in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description. Such modifications are intended to fall within the scope of the appended claims. All cited publications, patents,
30 and patent applications are herein incorporated by reference in their entirety.

WHAT IS CLAIMED IS:

1. An isolated nucleic acid molecule comprising at least 24 contiguous bases of nucleotide sequence first disclosed
5 in the NHP gene described in SEQ ID NO: 23.

2. An isolated nucleic acid molecule comprising a nucleotide sequence that:

- 10 (a) encodes the amino acid sequence shown in SEQ ID NO: 24; and
(b) hybridizes under stringent conditions to the nucleotide sequence of SEQ ID NO: 23 or the complement thereof.

15 3. An isolated nucleic acid molecule comprising a nucleotide sequence that:

- (a) encodes the amino acid sequence shown in SEQ ID NO: 2; and
20 (b) hybridizes under stringent conditions to the nucleotide sequence of SEQ ID NO: 1 or the complement thereof.

4. An isolated nucleic acid molecule comprising a nucleotide sequence that:

- 25 (a) encodes the amino acid sequence shown in SEQ ID NO: 48; and
(b) hybridizes under stringent conditions to the nucleotide sequence of SEQ ID NO: 47 or the
30 complement thereof.

ABSTRACT

Novel human polynucleotide and polypeptide sequences are disclosed that can be used in therapeutic, diagnostic, and pharmacogenomic applications.

PATENT APPLICATION

DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION

ATTORNEY DOCKET NO. LEX-0081-USA

As a below named inventor, I hereby declare that:

My residence/post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Novel Human Transporter Proteins and Polynucleotides Encoding the Same

the specification of which is attached hereto unless the following box is checked:

☐ was filed on _____ as US Application Serial No. or PCT International Application
Number _____ and was amended on _____ (if applicable).

I hereby state that I have reviewed and understood the contents of the above-identified specification, including the claims, as amended by any amendment(s) referred to above. I acknowledge the duty to disclose all information which is material to patentability as defined in 37 CFR 1.56.

Foreign Application(s) and/or Claim of Foreign Priority

I hereby claim foreign priority benefits under Title 35, United States Code Section 119 of any foreign application(s) for patent or inventor(s) certificate listed below and have also identified below any foreign application for patent or inventor(s) certificate having a filing date before that of the application on which priority is claimed:

COUNTRY	APPLICATION NUMBER	DATE FILED	PRIORITY CLAIMED UNDER 35 U.S.C. 119
			YES: _____ NO: _____
			YES: _____ NO: _____

Provisional Application

I hereby claim the benefit under Title 35, United States Code Section 119(e) of any United States provisional application(s) listed below:

APPLICATION SERIAL NUMBER	FILING DATE
60/163,018	11/2/1999

U.S. Priority Claim

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

APPLICATION SERIAL NUMBER	FILING DATE	STATUS(patented/pending/abandoned)

POWER OF ATTORNEY:

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) listed below to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

Lance K. Ishimoto, Reg. No. 41866

Send Correspondence to:

Lance K. Ishimoto
Lexicon Genetics Incorporated
4000 Research Forest Drive
The Woodlands, TX 77381

Direct Telephone Calls To:

Lance K. Ishimoto
(281) 362-6554

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

**DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION (continued)**

ATTORNEY DOCKET NO. LEX-0081-USA

Full Name of Inventor: Marie Harras Citizenship: Republic of Ireland

Residence: 28717 Driftwood Lane, Spring, TX 77381

Post Office Address: Same

Inventor's Signature _____ Date _____

Full Name of Inventor: Gregory Donoho Citizenship: USA

Residence: 41 Fallenstone Dr., The Woodlands, TX 77381

Post Office Address: Same

Inventor's Signature _____ Date _____

Full Name of Inventor: C. Alexander Turner, Jr. Citizenship: USA

Residence: 67 Winter Wheat Place, The Woodlands, TX 77381

Post Office Address: Same

Inventor's Signature _____ Date _____

Full Name of Inventor: Michael C. Nehls Citizenship: Germany

Residence: Paul-Keller-Strasse 6, Stockdorf, Germany 82131

Post Office Address: Same

Inventor's Signature _____ Date _____

Full Name of Inventor: Glenn Friedrich Citizenship: Canada

Residence: c/o Breland & Breland, Houston, TX 77004

Post Office Address: Same

Inventor's Signature _____ Date _____

Full Name of Inventor: Brian Zambrowicz Citizenship: USA

Residence: 18 Firethorne Place, The Woodlands, TX 77382

Post Office Address: Same

Inventor's Signature _____ Date _____

DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION (continued)

ATTORNEY DOCKET NO. LEX-0081-USA

Full Name of Inventor: Arthur T. Sands

Citizenship: USA

Residence: 163 Bristol Bend Circle, The Woodlands, TX 77382

Post Office Address: Same

Inventor's Signature

Date

SEQUENCE LISTING

<110> Harras, Marie
 Donoho, Gregory
 Turner, C. Alexander Jr.
 Nehls, Michael
 Friedrich, Glenn
 Zambrowicz, Brian
 Sands, Arthur T.

<120> Novel Human Transporter Proteins and
 Polynucleotides Encoding the Same

<130> LEX-0081-USA

<150> US 60/163,018

<151> 1999-11-02

<160> 25

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 1977

<212> DNA

<213> homo sapiens

<400> 1

atgacaagaa	tggctgtgaa	ggctcagcat	cacacatctg	aggctcagcga	ccagcgcac	60
cgtgtgacca	gtgaagttct	cacttgcatt	aagctgatta	aaatgtacac	atgggagaaa	120
ccatttgcaa	aaatcattga	agacctaaaga	aggaaggaaa	ggaagctatt	ggagaagtgc	180
gggcttgccc	agagcctgac	aagtataacc	ttgttcacat	tccccacagt	ggccacagcg	240
gtctgggttc	tcacccacac	atccttaaag	ctgaaactca	cagcgtcaat	ggccttcagc	300
atgctggcct	ccttgaatct	ccttcggctg	tcagtgttct	ttgtgcctat	tgcagtcaaa	360
ggtctcacga	attccaagtc	tgcagtgatg	aggttcaaga	agtttttcct	ccaggagagc	420
cctgttttct	atgtccagac	attacaagac	cccagcaaag	ctctgggtct	tgaggaggcc	480
accttgtcat	ggcaacagac	ctgtcccggg	atcgtcaatg	gggcactgga	gctggagagg	540
aacgggcatg	cttctgaggg	gatgaccagg	cctagagatg	ccctcggggc	agaggaagaa	600
gggaacagcc	tgggcccaga	gttgccacaag	atcaacctgg	tggtgtccaa	ggggatgatg	660
ttaggggtct	gcggcaacac	ggggagtggt	aagagcagcc	tgtgtgcagc	catcctggag	720
gagatgcact	tgctcgaggg	ctcgggtggg	gtgcagggaa	gcctggccta	tgtccccag	780
caggcctgga	tcgtcagcgg	gaacatcagg	gagaacatcc	tcattgggagg	cgcatatgac	840
aaggcccgat	acctccaggt	gctccactgc	tgctccctga	atcgggacct	ggaacttctg	900
ccctttggag	acatgacaga	gattggagag	cggggcctca	acctctctgg	ggggcagaaa	960
cagaggatca	gcctggcccg	cgccgtctat	tccgaccgtc	agatctacct	gctggacgac	1020
ccctgttctg	ctgtggacgc	ccacgtgggg	aagcacattt	ttgaggagtg	cattaagaag	1080
acactcaggg	ggaagacggt	cgtcctgggt	accaccagc	tgcagtactt	agaattttgt	1140
ggccagatca	ttttgttgga	aaatgggaaa	atctgtgaaa	atggaaactca	cagtgaattt	1200
atgcagaaaa	aggggaaata	tgcccaactt	atccagaaga	tgcacaagga	agccacttcg	1260
gacatgtttg	aggacacagc	aaagatagca	gagaagccaa	aggtagaaag	tcaggctctg	1320
gccacctccc	tggaaagagc	tctcaacgga	aatgctgtgc	cggagcatca	gctcacacag	1380
gaggaggaga	tggaaagaag	ctccttgagt	tggagggtct	accaccacta	catccaggca	1440
gctggagggt	acatggtctc	ttgcataatt	ttcttcttcg	tggtgctgat	cgtcttctta	1500
acgatcttca	gcttctgggtg	gctgagctac	tggttgaggc	agggctcggg	gaccaatagc	1560

```

agccgagaga gcaatggaac catggcagac ctgggcaaca ttgcagacaa tcctcaactg 1620
tccttctacc agctggtgta cgggctcaac gccctgctcc tcattctgtgt gggggtctgc 1680
tcctcaggga ttttcaccaa gggtcacgagg aaggcatcca cggccctgca caacaagctc 1740
ttcaacaagg ttttccgctg ccccatgagt ttctttgaca ccatcccaat aggccgggctt 1800
ttgaactgct tcgcagggga cttggaacag ctggaccagc tcttgcccat cttttcagag 1860
cagttcctgg tcctgtcctt aatggtgatc gccgtcctgt tgattgtcag tgtgtgtgtct 1920
ccatatatcc tgttaatggg agccataatc atggttatatt gcttcattta ttatatg 1977

```

<210> 2

<211> 659

<212> PRT

<213> homo sapiens

<400> 2

```

Met Thr Arg Met Ala Val Lys Ala Gln His His Thr Ser Glu Val Ser
 1          5          10          15
Asp Gln Arg Ile Arg Val Thr Ser Glu Val Leu Thr Cys Ile Lys Leu
 20          25          30
Ile Lys Met Tyr Thr Trp Glu Lys Pro Phe Ala Lys Ile Ile Glu Asp
 35          40          45
Leu Arg Arg Lys Glu Arg Lys Leu Leu Glu Lys Cys Gly Leu Val Gln
 50          55          60
Ser Leu Thr Ser Ile Thr Leu Phe Ile Ile Pro Thr Val Ala Thr Ala
 65          70          75          80
Val Trp Val Leu Ile His Thr Ser Leu Lys Leu Lys Leu Thr Ala Ser
 85          90          95
Met Ala Phe Ser Met Leu Ala Ser Leu Asn Leu Leu Arg Leu Ser Val
 100         105         110
Phe Phe Val Pro Ile Ala Val Lys Gly Leu Thr Asn Ser Lys Ser Ala
 115         120         125
Val Met Arg Phe Lys Lys Phe Phe Leu Gln Glu Ser Pro Val Phe Tyr
 130         135         140
Val Gln Thr Leu Gln Asp Pro Ser Lys Ala Leu Val Phe Glu Glu Ala
 145         150         155         160
Thr Leu Ser Trp Gln Gln Thr Cys Pro Gly Ile Val Asn Gly Ala Leu
 165         170         175
Glu Leu Glu Arg Asn Gly His Ala Ser Glu Gly Met Thr Arg Pro Arg
 180         185         190
Asp Ala Leu Gly Pro Glu Glu Glu Gly Asn Ser Leu Gly Pro Glu Leu
 195         200         205
His Lys Ile Asn Leu Val Val Ser Lys Gly Met Met Leu Gly Val Cys
 210         215         220
Gly Asn Thr Gly Ser Gly Lys Ser Ser Leu Leu Ser Ala Ile Leu Glu
 225         230         235         240
Glu Met His Leu Leu Glu Gly Ser Val Gly Val Gln Gly Ser Leu Ala
 245         250         255
Tyr Val Pro Gln Gln Ala Trp Ile Val Ser Gly Asn Ile Arg Glu Asn
 260         265         270
Ile Leu Met Gly Gly Ala Tyr Asp Lys Ala Arg Tyr Leu Gln Val Leu
 275         280         285
His Cys Cys Ser Leu Asn Arg Asp Leu Glu Leu Leu Pro Phe Gly Asp
 290         295         300
Met Thr Glu Ile Gly Glu Arg Gly Leu Asn Leu Ser Gly Gly Gln Lys
 305         310         315         320
Gln Arg Ile Ser Leu Ala Arg Ala Val Tyr Ser Asp Arg Gln Ile Tyr
 325         330         335

```


Leu Leu Asp Asp Pro Leu Ser Ala Val Asp Ala His Val Gly Lys His
 340 345 350
 Ile Phe Glu Glu Cys Ile Lys Lys Thr Leu Arg Gly Lys Thr Val Val
 355 360 365
 Leu Val Thr His Gln Leu Gln Tyr Leu Glu Phe Cys Gly Gln Ile Ile
 370 375 380
 Leu Leu Glu Asn Gly Lys Ile Cys Glu Asn Gly Thr His Ser Glu Leu
 385 390 395 400
 Met Gln Lys Lys Gly Lys Tyr Ala Gln Leu Ile Gln Lys Met His Lys
 405 410 415
 Glu Ala Thr Ser Asp Met Leu Gln Asp Thr Ala Lys Ile Ala Glu Lys
 420 425 430
 Pro Lys Val Glu Ser Gln Ala Leu Ala Thr Ser Leu Glu Glu Ser Leu
 435 440 445
 Asn Gly Asn Ala Val Pro Glu His Gln Leu Thr Gln Glu Glu Met
 450 455 460
 Glu Glu Gly Ser Leu Ser Trp Arg Val Tyr His His Tyr Ile Gln Ala
 465 470 475 480
 Ala Gly Gly Tyr Met Val Ser Cys Ile Ile Phe Phe Phe Val Val Leu
 485 490 495
 Ile Val Phe Leu Thr Ile Phe Ser Phe Trp Trp Leu Ser Tyr Trp Leu
 500 505 510
 Glu Gln Gly Ser Gly Thr Asn Ser Ser Arg Glu Ser Asn Gly Thr Met
 515 520 525
 Ala Asp Leu Gly Asn Ile Ala Asp Asn Pro Gln Leu Ser Phe Tyr Gln
 530 535 540
 Leu Val Tyr Gly Leu Asn Ala Leu Leu Leu Ile Cys Val Gly Val Cys
 545 550 555 560
 Ser Ser Gly Ile Phe Thr Lys Val Thr Arg Lys Ala Ser Thr Ala Leu
 565 570 575
 His Asn Lys Leu Phe Asn Lys Val Phe Arg Cys Pro Met Ser Phe Phe
 580 585 590
 Asp Thr Ile Pro Ile Gly Arg Leu Leu Asn Cys Phe Ala Gly Asp Leu
 595 600 605
 Glu Gln Leu Asp Gln Leu Leu Pro Ile Phe Ser Glu Gln Phe Leu Val
 610 615 620
 Leu Ser Leu Met Val Ile Ala Val Leu Leu Ile Val Ser Val Leu Ser
 625 630 635 640
 Pro Tyr Ile Leu Leu Met Gly Ala Ile Ile Met Val Ile Cys Phe Ile
 645 650 655
 Tyr Tyr Met

<210> 3
 <211> 2115
 <212> DNA
 <213> homo sapiens

<400> 3
 atgacaagaa tggctgtgaa ggctcagcat cacacatctg aggtcagcga ccagcgcattc 60
 cgtgtgacca gtgaagttct cacttgcat aagctgatta aaatgtacac atgggagaaa 120
 ccatttgcaa aaatcattga agacctaaga aggaaggaaa ggaagctatt ggagaagtgc 180
 gggcttggtc agagcctgac aagtataacc ttgttcatca tccccacagt ggccacagcg 240
 gtctgggttc tcatccacac atccttaaag ctgaaactca cagcgtcaat ggccttcagc 300
 atgctggcct ccttgaatct ccttcggctg tcagtgttct ttgtgcctat tgcagtcaaa 360
 ggtctcacga attccaagtc tgcagtgatg aggttcaaga agtttttctt ccaggagagc 420

```

cctgttttct atgtccagac attacaagac cccagcaaag ctctgggtctt tgaggaggcc 480
accttgatcat ggcaacagac ctgtcccggg atcgatcaatg gggcactgga gctggagagg 540
aacgggcatg cttctgaggg gatgaccagg cctagagatg ccctcggggc agaggaagaa 600
gggaacagcc tggggccaga gttgcacaag atcaacctgg tgggtgtccaa ggggatgatg 660
ttaggggtct gcggaacac ggggagtggt aagagcagcc tgttgtcagc catcctggag 720
gagatgcact tgctcgaggg ctcggtgggg gtgcagggaa gcctggccta tgtcccccag 780
caggcctgga tcgtcagcgg gaacatcagg gagaacatoc tcatgggagg cgcatacgac 840
aagggccgat acctccaggt gctccactgc tgctccctga atcgggacct ggaacttctg 900
ccctttggag acatgacaga gattggagag cggggcctca acctctctgg ggggcagaaa 960
cagaggatca gcctggcccc cgccgtctat tccgaccgtc agatctacct gctggacgac 1020
ccctgtctg ctgtggacgc ccacgtgggg aagcacattt ttgaggagtg cattaagaag 1080
acactcaggg ggaagacggg cgtcctgggt acccaccagc tgcagtactt agaattttgt 1140
ggccagatca ttttgttggg aaatgggaaa atctgtgaaa atggaactca cagtgaagta 1200
atgcagaaaa aggggaaata tgcccaactt atccagaaga tgcacaagga agccacttcg 1260
gacatgttgc aggacacagc aaagatagca gagaagccaa aggtagaaag tcaggctctg 1320
gccacctccc tggaagagtc tctcaacgga aatgctgtgc cggagcatca gtcacacag 1380
gaggaggaga tggaagaagg ctcttgagt tggagggtct accaccacta catccaggca 1440
gctggaggtt acatggtctc ttgcataatt ttcttcttcg tgggtgctgat cgtcttctta 1500
acgatcttca gcttctggtg gctgagctac tgggtggagc agggctcggg gaccaatagc 1560
agccgagaga gcaatggaac catggcagac ctgggcaaca ttgcagacaa tcctcaactg 1620
tccttctacc agctggtgta cgggctcaac gccctgctcc tcactgtgtg gggggtctgc 1680
tcctcagggg ttttcaccaa ggtcacgagg aaggcatcca cggccctgca caacaagctc 1740
ttcaacaagg ttttccgctg ccccatgagt ttctttgaca ccatcccaat aggccggctt 1800
ttgaactgct tcgcagggga cttggaacag ctggaccagc tcttgcccat cttttcagag 1860
cagttcctgg tcctgtcctt aatggtgatc gccgtcctgt tgattgtcag tgtgctgtct 1920
ccatatatcc tgtaaatggg agccataatc atggttatct gcttcattta ttatatgatg 1980
ttcaagaagg ccatcggtgt gttcaagaga ctggagaact atagccggtc tcctttattc 2040
tcccacatcc tcaattctct gcaaggcctg agctccatcc atgtctatgg aaaaactgaa 2100
gacttcatca gccag 2115

```

```

<210> 4
<211> 705
<212> PRT
<213> homo sapiens

```

```

<400> 4
Met Thr Arg Met Ala Val Lys Ala Gln His His Thr Ser Glu Val Ser
 1          5          10          15
Asp Gln Arg Ile Arg Val Thr Ser Glu Val Leu Thr Cys Ile Lys Leu
 20          25          30
Ile Lys Met Tyr Thr Trp Glu Lys Pro Phe Ala Lys Ile Ile Glu Asp
 35          40          45
Leu Arg Arg Lys Glu Arg Lys Leu Leu Glu Lys Cys Gly Leu Val Gln
 50          55          60
Ser Leu Thr Ser Ile Thr Leu Phe Ile Ile Pro Thr Val Ala Thr Ala
 65          70          75          80
Val Trp Val Leu Ile His Thr Ser Leu Lys Leu Lys Leu Thr Ala Ser
 85          90          95
Met Ala Phe Ser Met Leu Ala Ser Leu Asn Leu Leu Arg Leu Ser Val
 100          105          110
Phe Phe Val Pro Ile Ala Val Lys Gly Leu Thr Asn Ser Lys Ser Ala
 115          120          125
Val Met Arg Phe Lys Lys Phe Phe Leu Gln Glu Ser Pro Val Phe Tyr
 130          135          140
Val Gln Thr Leu Gln Asp Pro Ser Lys Ala Leu Val Phe Glu Glu Ala
 145          150          155          160

```


Glu Gln Leu Asp Gln Leu Leu Pro Ile Phe Ser Glu Gln Phe Leu Val
 610 615 620
 Leu Ser Leu Met Val Ile Ala Val Leu Leu Ile Val Ser Val Leu Ser
 625 630 635 640
 Pro Tyr Ile Leu Leu Met Gly Ala Ile Ile Met Val Ile Cys Phe Ile
 645 650 655
 Tyr Tyr Met Met Phe Lys Lys Ala Ile Gly Val Phe Lys Arg Leu Glu
 660 665 670
 Asn Tyr Ser Arg Ser Pro Leu Phe Ser His Ile Leu Asn Ser Leu Gln
 675 680 685
 Gly Leu Ser Ser Ile His Val Tyr Gly Lys Thr Glu Asp Phe Ile Ser
 690 695 700
 Gln
 705

<210> 5
 <211> 3189
 <212> DNA
 <213> homo sapiens

<400> 5
 atgacaagaa tggctgtgaa ggctcagcat cacacatctg aggtcagcga ccagcgcattc 60
 cgtgtgacca gtgaagttct cacttgcatt aagctgatta aaatgtacac atgggagaaa 120
 ccatttgcaa aaatcattga agacctaaga aggaaggaaa ggaagctatt ggagaagtgc 180
 gggcttgccc agagcctgac aagtataacc ttgttcatca tccccacagt ggccacagcg 240
 gtctgggttc tcatccacac atccttaaag ctgaaactca cagcgtcaat ggccttcagc 300
 atgctggcct ccttgaatct ccttcggctg tcagtgttct ttgtgcctat tgcagtcaaa 360
 ggtctcacga attccaagtc tgcagtgatg aggttcaaga agtttttctt ccaggagagc 420
 cctgttttct atgtccagac attacaagac ccagcaaaag ctctgggtctt tgaggaggcc 480
 accttgatcat ggcaacagac ctgtcccggg atcgtcaatg gggcactgga gctggagagg 540
 aacgggcatg cttctgaggg gatgaccagg cctagagatg ccctcgggcc agaggaagaa 600
 gggaacagcc tggggccaga gttgcacaag atcaacctgg tgggtgtcaa ggggatgatg 660
 ttaggggtct ggggcaacac ggggagtggt aagagcagcc tggtgtcagc catcctggag 720
 gagatgcact tgctcgaggg ctcggtgggg gtgcagggaa gcctggccta tgtccccag 780
 caggcctgga tcgtcagcgg gaacatcagg gagaacatcc tcatgggagg cgcataatgac 840
 aaggcccgat acctccaggt gctccactgc tgctccctga atcgggacct ggaacttctg 900
 ccctttggag acatgacaga gattggagag cggggcctca acctctctgg ggggcagaaa 960
 cagaggatca gcctggcccg cgccgtctat tccgaccgtc agatctacct gctggacgac 1020
 ccctgtctct ctgtggacgc ccacgtgggg aagcacattt ttgaggagtg cattaagaag 1080
 acactcaggg ggaagacggt cgtcctggtg acccaccagc tgcagtactt agaattttgt 1140
 ggccagatca ttttgttgga aaatgggaaa atctgtgaaa atggaactca cagtgaagtta 1200
 atgcagaaaa aggggaaata tgcccaactt atccagaaga tgcacaagga agccacttcg 1260
 gacatgttgc aggacacagc aaagatagca gagaagccaa aggtagaaag tcaggctctg 1320
 gccacctccc tggaagagtc tctcaacgga aatgctgtgc cggagcatca gctcacacag 1380
 gaggaggaga tggaagaagg ctcttgagt tggagggtct accaccacta catccaggca 1440
 gctggagggt acatggtctc ttgcataatt ttcttcttcg tgggtgctgat cgtcttctta 1500
 acgatcttca gcttctggtg gctgagctac tggttggagc agggctcggg gaccaatagc 1560
 agccgagaga gcaatggaac catggcagac ctgggcaaca ttgcagacaa tctcaactg 1620
 tccttctacc agctggtgta cgggctcaac gccctgctcc tcatctgtgt gggggtctgc 1680
 tcctcagggg ttttcaccaa ggtcacagg aaggcatcca cggccctgca caacaagctc 1740
 ttcaacaagg ttttcgctg ccccatgagt ttctttgaca ccatcccaat aggcgggctt 1800
 ttgaactgct tcgcagggga cttggaacag ctggaccagc tcttgcccat cttttcagag 1860
 cagttcctgg tctgtctctt aatggtgatc gccgtcctgt tgattgtcag tgtgctgtct 1920
 ccataatatc tgtaaatggg agccataatc atggttattt gcttcattta ttatatgatg 1980
 ttcaagaagg ccatacggtg gttcaagaga ctggagaact atagccggtc tcctttattc 2040
 tcccacatcc tcaattctct gcaaggcctg agctccatcc atgtctatgg aaaaactgaa 2100

gacttcatca	gccagtttaa	gaggctgact	gatgcgacaga	ataactacct	gctgttgttt	2160
ctatcttcca	cacgatggat	ggcattgagg	ctggagatca	tgaccaacct	tgtgaccttg	2220
gctgttgccc	tgttcgtggc	ttttggcatt	tcctccaccc	cctactcctt	taaagtcattg	2280
gctgtcaaca	tcgtgctgca	gctggcgctcc	agcttccagg	ccactgcccg	gattggcttg	2340
gagacagagg	cacagttcac	ggctgtagag	aggatactgc	agtacatgaa	gatgtgtgtc	2400
tcggaagctc	ctttacacat	ggaaggcaca	agttgtcccc	aggggtggcc	acagcatggg	2460
gaaatcatat	ttcaggatta	tcacatgaaa	tacagagaca	acacaccac	cgtgcttcac	2520
ggcatcaacc	tgaccatccg	cggccacgaa	gtggtgggca	tcgtgggaag	gacgggctct	2580
gggaagtcc	ccttgggcat	ggctctcttc	cgcctggtgg	agcccatggc	aggccggatt	2640
ctcattgacg	gctgtggacat	ttgcagcatc	ggcctggagg	acttgcggtc	caagctctca	2700
gtgatccctc	aagatccagt	gctgctctca	ggaaccatca	gatteaacct	agatcccttt	2760
gaccgtcaca	ctgaccagca	gatctgggat	gccttgagga	ggacattcct	gaccaaggcc	2820
atctcaaagt	tccccaaaaa	gctgcataca	gatgtggtgg	aaaacggtgg	aaacttctct	2880
gtgggggaga	ggcagctgct	ctgcattgcc	agggtgtgct	ttcgcaactc	caagatcatc	2940
cttatcgatg	aagccacagc	ctccattgac	atggagacag	acaccctgat	ccagcgacac	3000
atccgtgaag	ccttccaggg	ctgcaccgtg	ctcgtcattg	cccaccgtgt	caccactgtg	3060
ctgaactgtg	accacatcct	ggttatgggc	aatgggaagg	tggtagaatt	tgatcgccg	3120
gaggtactgc	ggaagaagcc	tgggtcattg	ttcgcagccc	tcatggccac	agccacttct	3180
tcactgaga						3189

<210> 6

<211> 1063

<212> PRT

<213> homo sapiens

<400> 6

Met	Thr	Arg	Met	Ala	Val	Lys	Ala	Gln	His	His	Thr	Ser	Glu	Val	Ser
1			5					10					15		
Asp	Gln	Arg	Ile	Arg	Val	Thr	Ser	Glu	Val	Leu	Thr	Cys	Ile	Lys	Leu
	20							25				30			
Ile	Lys	Met	Tyr	Thr	Trp	Glu	Lys	Pro	Phe	Ala	Lys	Ile	Ile	Glu	Asp
	35						40					45			
Leu	Arg	Arg	Lys	Glu	Arg	Lys	Leu	Leu	Glu	Lys	Cys	Gly	Leu	Val	Gln
	50					55					60				
Ser	Leu	Thr	Ser	Ile	Thr	Leu	Phe	Ile	Ile	Pro	Thr	Val	Ala	Thr	Ala
65				70					75						80
Val	Trp	Val	Leu	Ile	His	Thr	Ser	Leu	Lys	Leu	Lys	Leu	Thr	Ala	Ser
			85					90						95	
Met	Ala	Phe	Ser	Met	Leu	Ala	Ser	Leu	Asn	Leu	Leu	Arg	Leu	Ser	Val
			100					105					110		
Phe	Phe	Val	Pro	Ile	Ala	Val	Lys	Gly	Leu	Thr	Asn	Ser	Lys	Ser	Ala
	115						120					125			
Val	Met	Arg	Phe	Lys	Lys	Phe	Phe	Leu	Gln	Glu	Ser	Pro	Val	Phe	Tyr
	130					135					140				
Val	Gln	Thr	Leu	Gln	Asp	Pro	Ser	Lys	Ala	Leu	Val	Phe	Glu	Glu	Ala
145				150					155					160	
Thr	Leu	Ser	Trp	Gln	Gln	Thr	Cys	Pro	Gly	Ile	Val	Asn	Gly	Ala	Leu
			165					170					175		
Glu	Leu	Glu	Arg	Asn	Gly	His	Ala	Ser	Glu	Gly	Met	Thr	Arg	Pro	Arg
			180					185				190			
Asp	Ala	Leu	Gly	Pro	Glu	Glu	Glu	Gly	Asn	Ser	Leu	Gly	Pro	Glu	Leu
	195						200					205			
His	Lys	Ile	Asn	Leu	Val	Val	Ser	Lys	Gly	Met	Met	Leu	Gly	Val	Cys
	210					215					220				
Gly	Asn	Thr	Gly	Ser	Gly	Lys	Ser	Ser	Leu	Leu	Ser	Ala	Ile	Leu	Glu
225					230					235					240

Glu	Met	His	Leu	Leu	Glu	Gly	Ser	Val	Gly	Val	Gln	Gly	Ser	Leu	Ala	
				245					250					255		
Tyr	Val	Pro	Gln	Gln	Ala	Trp	Ile	Val	Ser	Gly	Asn	Ile	Arg	Glu	Asn	
			260					265					270			
Ile	Leu	Met	Gly	Gly	Ala	Tyr	Asp	Lys	Ala	Arg	Tyr	Leu	Gln	Val	Leu	
		275					280					285				
His	Cys	Cys	Ser	Leu	Asn	Arg	Asp	Leu	Glu	Leu	Leu	Pro	Phe	Gly	Asp	
	290					295					300					
Met	Thr	Glu	Ile	Gly	Glu	Arg	Gly	Leu	Asn	Leu	Ser	Gly	Gly	Gln	Lys	
305				310						315					320	
Gln	Arg	Ile	Ser	Leu	Ala	Arg	Ala	Val	Tyr	Ser	Asp	Arg	Gln	Ile	Tyr	
			325						330					335		
Leu	Leu	Asp	Asp	Pro	Leu	Ser	Ala	Val	Asp	Ala	His	Val	Gly	Lys	His	
		340						345					350			
Ile	Phe	Glu	Cys	Ile	Lys	Lys	Thr	Leu	Arg	Gly	Lys	Thr	Val	Val		
	355					360					365					
Leu	Val	Thr	His	Gln	Leu	Gln	Tyr	Leu	Glu	Phe	Cys	Gly	Gln	Ile	Ile	
	370					375					380					
Leu	Leu	Glu	Asn	Gly	Lys	Ile	Cys	Glu	Asn	Gly	Thr	His	Ser	Glu	Leu	
385				390						395					400	
Met	Gln	Lys	Lys	Gly	Lys	Tyr	Ala	Gln	Leu	Ile	Gln	Lys	Met	His	Lys	
			405						410					415		
Glu	Ala	Thr	Ser	Asp	Met	Leu	Gln	Asp	Thr	Ala	Lys	Ile	Ala	Glu	Lys	
			420					425					430			
Pro	Lys	Val	Glu	Ser	Gln	Ala	Leu	Ala	Thr	Ser	Leu	Glu	Glu	Ser	Leu	
		435				440						445				
Asn	Gly	Asn	Ala	Val	Pro	Glu	His	Gln	Leu	Thr	Gln	Glu	Glu	Glu	Met	
	450					455					460					
Glu	Glu	Gly	Ser	Leu	Ser	Trp	Arg	Val	Tyr	His	His	Tyr	Ile	Gln	Ala	
465				470						475					480	
Ala	Gly	Gly	Tyr	Met	Val	Ser	Cys	Ile	Ile	Phe	Phe	Phe	Val	Val	Leu	
			485						490					495		
Ile	Val	Phe	Leu	Thr	Ile	Phe	Ser	Phe	Trp	Trp	Leu	Ser	Tyr	Trp	Leu	
			500					505					510			
Glu	Gln	Gly	Ser	Gly	Thr	Asn	Ser	Ser	Arg	Glu	Ser	Asn	Gly	Thr	Met	
	515					520						525				
Ala	Asp	Leu	Gly	Asn	Ile	Ala	Asp	Asn	Pro	Gln	Leu	Ser	Phe	Tyr	Gln	
	530					535					540					
Leu	Val	Tyr	Gly	Leu	Asn	Ala	Leu	Leu	Leu	Ile	Cys	Val	Gly	Val	Cys	
545				550						555					560	
Ser	Ser	Gly	Ile	Phe	Thr	Lys	Val	Thr	Arg	Lys	Ala	Ser	Thr	Ala	Leu	
			565					570						575		
His	Asn	Lys	Leu	Phe	Asn	Lys	Val	Phe	Arg	Cys	Pro	Met	Ser	Phe	Phe	
	580							585					590			
Asp	Thr	Ile	Pro	Ile	Gly	Arg	Leu	Asn	Cys	Phe	Ala	Gly	Asp	Leu		
	595					600					605					
Glu	Gln	Leu	Asp	Gln	Leu	Leu	Pro	Ile	Phe	Ser	Glu	Gln	Phe	Leu	Val	
	610					615					620					
Leu	Ser	Leu	Met	Val	Ile	Ala	Val	Leu	Leu	Ile	Val	Ser	Val	Leu	Ser	
625				630						635					640	
Pro	Tyr	Ile	Leu	Leu	Met	Gly	Ala	Ile	Ile	Met	Val	Ile	Cys	Phe	Ile	
			645					650						655		
Tyr	Tyr	Met	Met	Phe	Lys	Lys	Ala	Ile	Gly	Val	Phe	Lys	Arg	Leu	Glu	
		660					665					670				
Asn	Tyr	Ser	Arg	Ser	Pro	Leu	Phe	Ser	His	Ile	Leu	Asn	Ser	Leu	Gln	
	675					680					685					

Gly Leu Ser Ser Ile His Val Tyr Gly Lys Thr Glu Asp Phe Ile Ser
 690 695 700
 Gln Phe Lys Arg Leu Thr Asp Ala Gln Asn Asn Tyr Leu Leu Leu Phe
 705 710 715 720
 Leu Ser Ser Thr Arg Trp Met Ala Leu Arg Leu Glu Ile Met Thr Asn
 725 730 735
 Leu Val Thr Leu Ala Val Ala Leu Phe Val Ala Phe Gly Ile Ser Ser
 740 745 750
 Thr Pro Tyr Ser Phe Lys Val Met Ala Val Asn Ile Val Leu Gln Leu
 755 760 765
 Ala Ser Ser Phe Gln Ala Thr Ala Arg Ile Gly Leu Glu Thr Glu Ala
 770 775 780
 Gln Phe Thr Ala Val Glu Arg Ile Leu Gln Tyr Met Lys Met Cys Val
 785 790 795 800
 Ser Glu Ala Pro Leu His Met Glu Gly Thr Ser Cys Pro Gln Gly Trp
 805 810 815
 Pro Gln His Gly Glu Ile Ile Phe Gln Asp Tyr His Met Lys Tyr Arg
 820 825 830
 Asp Asn Thr Pro Thr Val Leu His Gly Ile Asn Leu Thr Ile Arg Gly
 835 840 845
 His Glu Val Val Gly Ile Val Gly Arg Thr Gly Ser Gly Lys Ser Ser
 850 855 860
 Leu Gly Met Ala Leu Phe Arg Leu Val Glu Pro Met Ala Gly Arg Ile
 865 870 875 880
 Leu Ile Asp Gly Val Asp Ile Cys Ser Ile Gly Leu Glu Asp Leu Arg
 885 890 895
 Ser Lys Leu Ser Val Ile Pro Gln Asp Pro Val Leu Leu Ser Gly Thr
 900 905 910
 Ile Arg Phe Asn Leu Asp Pro Phe Asp Arg His Thr Asp Gln Gln Ile
 915 920 925
 Trp Asp Ala Leu Glu Arg Thr Phe Leu Thr Lys Ala Ile Ser Lys Phe
 930 935 940
 Pro Lys Lys Leu His Thr Asp Val Val Glu Asn Gly Gly Asn Phe Ser
 945 950 955 960
 Val Gly Glu Arg Gln Leu Leu Cys Ile Ala Arg Ala Val Leu Arg Asn
 965 970 975
 Ser Lys Ile Ile Leu Ile Asp Glu Ala Thr Ala Ser Ile Asp Met Glu
 980 985 990
 Thr Asp Thr Leu Ile Gln Arg Thr Ile Arg Glu Ala Phe Gln Gly Cys
 995 1000 1005
 Thr Val Leu Val Ile Ala His Arg Val Thr Thr Val Leu Asn Cys Asp
 1010 1015 1020
 His Ile Leu Val Met Gly Asn Gly Lys Val Val Glu Phe Asp Arg Pro
 1025 1030 1035 1040
 Glu Val Leu Arg Lys Lys Pro Gly Ser Leu Phe Ala Ala Leu Met Ala
 1045 1050 1055
 Thr Ala Thr Ser Ser Leu Arg
 1060

<210> 7

<211> 1488

<212> DNA

<213> homo sapiens

<400> 7

atgacaagaa tggctgtgaa ggctcagcat cacacatctg aggtcagcga ccagcgcac

60

cgtgtgacca	gtgaagttct	cacttgcatt	aagctgatta	aaatgtacac	atgggagaaa	120
ccatttgcaa	aaatcattga	agacctaaga	aggaaggaaa	ggaagctatt	ggagaagtgc	180
gggcttgtcc	agagcctgac	aagtataacc	ttgttcatca	tccccacagt	ggccacacgc	240
gtctgggttc	tcatccacac	atccttaaag	ctgaaactca	cagcgtcaat	ggccttcagc	300
atgtctggcct	ccttgaatct	ccttcggctg	tcagtgttct	ttgtgcctat	tgcagtcaaa	360
ggtctcacga	attccaagtc	tgcagtgatg	aggttcaaga	agtttttctt	ccaggagagc	420
cctgttttct	atgtccagac	attacaagac	cccagcaaag	ctctggtctt	tgaggaggcc	480
accttgtcat	ggcaacagac	ctgtcccggg	atcgtcaatg	gggactgga	gctggagagg	540
aacgggcatg	cttctgaggg	gatgaccagg	cctagagatg	ccctcgggcc	agaggaagaa	600
gggaacagcc	tgggcccaga	gttgacacaag	atcaacctgg	tgggtgtccaa	ggggatgatg	660
ttaggggtct	gcggcaacac	ggggagtggg	aagagcagcc	tgttgtcagc	catcctggag	720
gagatgcact	tgctcgaggg	ctcggtaggg	gtgcagggaa	gcctggccta	tgtccccag	780
caggcctgga	tcgtcagcgg	gaacatcagg	gagaacatcc	tcatgggagg	cgcataatgac	840
aaggccccgt	acctccaggt	gctccactgc	tgctcctga	atcgggacct	ggaacttctg	900
ccctttggag	acatgacaga	gattggagag	cggggcctca	acctctctgg	ggggcagaaa	960
cagaggatca	gcctggcccg	cgccgtctat	tccgaccgtc	agatctacct	gctggacgac	1020
ccctgtctg	ctgtggacgc	ccacgtgggg	aagcacattt	ttgaggagtg	cattaagaag	1080
acactcaggg	ggaagacggt	cgctctgggt	acccaccagc	tgcagtactt	agaattttgt	1140
ggccagatca	ttttgttga	aaatgggaaa	atctgtgaaa	atggaactca	cagtagtta	1200
atgcagaaaa	aggggaaata	tgcccaactt	atccagaaga	tgcacaagga	agccacttcg	1260
gttttccgct	gccccatgag	tttctttgac	accatcccaa	taggcgggct	tttgaactgc	1320
ttcgcagggg	acttggaaaca	gctggaccag	ctcttgccca	tcttttcaga	gcagttcctg	1380
gtcctgtcct	taatggtgat	cgccgtcctg	ttgattgtca	gtgtgctgtc	tccatatatc	1440
ctgttaatgg	gagccataat	catgggttatt	tgcttcattt	attatatg		1488

<210> 8

<211> 496

<212> PRT

<213> homo sapiens

<400> 8

Met	Thr	Arg	Met	Ala	Val	Lys	Ala	Gln	His	His	Thr	Ser	Glu	Val	Ser
1				5				10						15	
Asp	Gln	Arg	Ile	Arg	Val	Thr	Ser	Glu	Val	Leu	Thr	Cys	Ile	Lys	Leu
			20					25					30		
Ile	Lys	Met	Tyr	Thr	Trp	Glu	Lys	Pro	Phe	Ala	Lys	Ile	Ile	Glu	Asp
		35					40					45			
Leu	Arg	Arg	Lys	Glu	Arg	Lys	Leu	Leu	Glu	Lys	Cys	Gly	Leu	Val	Gln
	50					55					60				
Ser	Leu	Thr	Ser	Ile	Thr	Leu	Phe	Ile	Ile	Pro	Thr	Val	Ala	Thr	Ala
65				70					75					80	
Val	Trp	Val	Leu	Ile	His	Thr	Ser	Leu	Lys	Leu	Lys	Leu	Thr	Ala	Ser
			85					90						95	
Met	Ala	Phe	Ser	Met	Leu	Ala	Ser	Leu	Asn	Leu	Leu	Arg	Leu	Ser	Val
		100					105						110		
Phe	Phe	Val	Pro	Ile	Ala	Val	Lys	Gly	Leu	Thr	Asn	Ser	Lys	Ser	Ala
		115					120					125			
Val	Met	Arg	Phe	Lys	Lys	Phe	Phe	Leu	Gln	Glu	Ser	Pro	Val	Phe	Tyr
	130					135					140				
Val	Gln	Thr	Leu	Gln	Asp	Pro	Ser	Lys	Ala	Leu	Val	Phe	Glu	Glu	Ala
145				150					155					160	
Thr	Leu	Ser	Trp	Gln	Gln	Thr	Cys	Pro	Gly	Ile	Val	Asn	Gly	Ala	Leu
			165					170					175		
Glu	Leu	Glu	Arg	Asn	Gly	His	Ala	Ser	Glu	Gly	Met	Thr	Arg	Pro	Arg
		180					185					190			
Asp	Ala	Leu	Gly	Pro	Glu	Glu	Glu	Gly	Asn	Ser	Leu	Gly	Pro	Glu	Leu

195	200	205
His Lys Ile Asn Leu Val Val Ser Lys Gly Met Met Leu Gly Val Cys		
210	215	220
Gly Asn Thr Gly Ser Gly Lys Ser Ser Leu Leu Ser Ala Ile Leu Glu		
225	230	235
Glu Met His Leu Leu Glu Gly Ser Val Gly Val Gln Gly Ser Leu Ala		
245	250	255
Tyr Val Pro Gln Gln Ala Trp Ile Val Ser Gly Asn Ile Arg Glu Asn		
260	265	270
Ile Leu Met Gly Gly Ala Tyr Asp Lys Ala Arg Tyr Leu Gln Val Leu		
275	280	285
His Cys Cys Ser Leu Asn Arg Asp Leu Glu Leu Leu Pro Phe Gly Asp		
290	295	300
Met Thr Glu Ile Gly Glu Arg Gly Leu Asn Leu Ser Gly Gly Gln Lys		
305	310	315
Gln Arg Ile Ser Leu Ala Arg Ala Val Tyr Ser Asp Arg Gln Ile Tyr		
325	330	335
Leu Leu Asp Asp Pro Leu Ser Ala Val Asp Ala His Val Gly Lys His		
340	345	350
Ile Phe Glu Glu Cys Ile Lys Lys Thr Leu Arg Gly Lys Thr Val Val		
355	360	365
Leu Val Thr His Gln Leu Gln Tyr Leu Glu Phe Cys Gly Gln Ile Ile		
370	375	380
Leu Leu Glu Asn Gly Lys Ile Cys Glu Asn Gly Thr His Ser Glu Leu		
385	390	395
Met Gln Lys Lys Gly Lys Tyr Ala Gln Leu Ile Gln Lys Met His Lys		
405	410	415
Glu Ala Thr Ser Val Phe Arg Cys Pro Met Ser Phe Phe Asp Thr Ile		
420	425	430
Pro Ile Gly Arg Leu Leu Asn Cys Phe Ala Gly Asp Leu Glu Gln Leu		
435	440	445
Asp Gln Leu Leu Pro Ile Phe Ser Glu Gln Phe Leu Val Leu Ser Leu		
450	455	460
Met Val Ile Ala Val Leu Leu Ile Val Ser Val Leu Ser Pro Tyr Ile		
465	470	475
Leu Leu Met Gly Ala Ile Ile Met Val Ile Cys Phe Ile Tyr Tyr Met		
485	490	495

<210> 9
 <211> 1626
 <212> DNA
 <213> homo sapiens

<400> 9

atgacaagaa	tggctgtgaa	ggctcagcat	cacacatctg	aggctcagcga	ccagcgcgcatc	60
cgtgtgacca	gtgaagttct	cacttgcat	aagctgatta	aaatgtacac	atgggagaaaa	120
ccatttgcaa	aaatcattga	agacctaaga	aggaaggaaa	ggaagctatt	ggagaagtgc	180
gggcttgctc	agagcctgac	aagtataacc	ttgttcatca	tccccacagt	ggccacagcg	240
gtctgggttc	tcattccacac	atccttaaag	ctgaaactca	cagcgtcaat	ggccttcagc	300
atgctggcct	ccttgaatct	ccttcggctg	tcagtgttct	ttgtgcctat	tgcagtcaaa	360
gggtctcagc	attccaagtc	tgcagtgatg	aggttcaaga	agtttttctc	ccaggagagc	420
cctgttttct	atgtccagac	attacaagac	cccagcaaag	ctctgggtct	tgaggaggcc	480
accttgtcat	ggcaacagac	ctgtcccggg	atcgtcaatg	gggcactgga	gctggagagg	540
aacgggcatg	cttctgaggg	gatgaccagg	cctagagatg	ccctcggggc	agaggaagaa	600
gggaacagcc	tggggccaga	gttgacaaag	atcaacctgg	tggtgtccaa	ggggatgatg	660
ttaggggtct	gcggcaacac	ggggagtggg	aagagcagcc	tggtgtcagc	catcctggag	720

```

gagatgcact tgctcgaggg ctcggtgggg gtgcagggaa gcctggccta tgtccccag 780
caggcctgga tcgtcagcgg gaacatcagg gagaacatcc tcatgggagg cgcataatgac 840
aaggcccgat acctccaggt gctccactgc tgctccctga atcgggacct ggaacttctg 900
ccctttggag acatgacaga gattggagag cggggcctca acctctctgg ggggcagaaa 960
cagaggatca gcctggccc cgcgtctat tccgaccgtc agatctacct gctggacgac 1020
cccctgtctg ctgtggacgc ccacgtgggg aagcacattt ttgaggagtg cattaagaag 1080
acactcaggg ggaagacggt cgtcctgggtg acccaccagc tgcagtactt agaattttgt 1140
ggccagatca ttttgttggg aaatgggaaa atctgtgaaa atggaactca cagtgaagta 1200
atgcagaaaa aggggaaata tgcccaactt atccagaaga tgcacaagga agccacttcg 1260
gttttccgct gcccacatgag tttctttgac accatcccaa taggcgggct tttgaactgc 1320
ttcgcagggg acttgggaaca gctggaccag ctcttgccca tcttttcaga gcagttcctg 1380
gtcctgtcct taatggtgat cgcctgctg ttgattgtca gtgtgctgtc tccatatatc 1440
ctgttaatgg gagccataat catggttatt tgcttcattt attatatgat gttcaagaag 1500
gccatcgggtg tgttcaagag actggagaac tatagccggt ctccctttatt ctccacatc 1560
ctcaattctc tgcaaggcct gagctccatc catgtctatg gaaaaactga agacttcac 1620
agccag 1626

```

```

<210> 10
<211> 542
<212> PRT
<213> homo sapiens

```

```

<400> 10
Met Thr Arg Met Ala Val Lys Ala Gln His His Thr Ser Glu Val Ser
1 5 10 15
Asp Gln Arg Ile Arg Val Thr Ser Glu Val Leu Thr Cys Ile Lys Leu
20 25 30
Ile Lys Met Tyr Thr Trp Glu Lys Pro Phe Ala Lys Ile Ile Glu Asp
35 40 45
Leu Arg Arg Lys Glu Arg Lys Leu Leu Glu Lys Cys Gly Leu Val Gln
50 55 60
Ser Leu Thr Ser Ile Thr Leu Phe Ile Ile Pro Thr Val Ala Thr Ala
65 70 75 80
Val Trp Val Leu Ile His Thr Ser Leu Lys Leu Lys Leu Thr Ala Ser
85 90 95
Met Ala Phe Ser Met Leu Ala Ser Leu Asn Leu Leu Arg Leu Ser Val
100 105 110
Phe Phe Val Pro Ile Ala Val Lys Gly Leu Thr Asn Ser Lys Ser Ala
115 120 125
Val Met Arg Phe Lys Lys Phe Phe Leu Gln Glu Ser Pro Val Phe Tyr
130 135 140
Val Gln Thr Leu Gln Asp Pro Ser Lys Ala Leu Val Phe Glu Glu Ala
145 150 155 160
Thr Leu Ser Trp Gln Gln Thr Cys Pro Gly Ile Val Asn Gly Ala Leu
165 170 175
Glu Leu Glu Arg Asn Gly His Ala Ser Glu Gly Met Thr Arg Pro Arg
180 185 190
Asp Ala Leu Gly Pro Glu Glu Glu Gly Asn Ser Leu Gly Pro Glu Leu
195 200 205
His Lys Ile Asn Leu Val Val Ser Lys Gly Met Met Leu Gly Val Cys
210 215 220
Gly Asn Thr Gly Ser Gly Lys Ser Ser Leu Leu Ser Ala Ile Leu Glu
225 230 235 240
Glu Met His Leu Leu Glu Gly Ser Val Gly Val Gln Gly Ser Leu Ala
245 250 255
Tyr Val Pro Gln Gln Ala Trp Ile Val Ser Gly Asn Ile Arg Glu Asn

```

	260		265		270										
Ile	Leu	Met	Gly	Gly	Ala	Tyr	Asp	Lys	Ala	Arg	Tyr	Leu	Gln	Val	Leu
	275						280					285			
His	Cys	Cys	Ser	Leu	Asn	Arg	Asp	Leu	Glu	Leu	Leu	Pro	Phe	Gly	Asp
	290					295						300			
Met	Thr	Glu	Ile	Gly	Glu	Arg	Gly	Leu	Asn	Leu	Ser	Gly	Gly	Gln	Lys
305				310						315				320	
Gln	Arg	Ile	Ser	Leu	Ala	Arg	Ala	Val	Tyr	Ser	Asp	Arg	Gln	Ile	Tyr
			325						330				335		
Leu	Leu	Asp	Asp	Pro	Leu	Ser	Ala	Val	Asp	Ala	His	Val	Gly	Lys	His
		340						345					350		
Ile	Phe	Glu	Glu	Cys	Ile	Lys	Lys	Thr	Leu	Arg	Gly	Lys	Thr	Val	Val
	355					360						365			
Leu	Val	Thr	His	Gln	Leu	Gln	Tyr	Leu	Glu	Phe	Cys	Gly	Gln	Ile	Ile
	370				375						380				
Leu	Leu	Glu	Asn	Gly	Lys	Ile	Cys	Glu	Asn	Gly	Thr	His	Ser	Glu	Leu
385				390						395				400	
Met	Gln	Lys	Lys	Gly	Lys	Tyr	Ala	Gln	Leu	Ile	Gln	Lys	Met	His	Lys
			405						410					415	
Glu	Ala	Thr	Ser	Val	Phe	Arg	Cys	Pro	Met	Ser	Phe	Phe	Asp	Thr	Ile
		420						425					430		
Pro	Ile	Gly	Arg	Leu	Leu	Asn	Cys	Phe	Ala	Gly	Asp	Leu	Glu	Gln	Leu
	435					440						445			
Asp	Gln	Leu	Leu	Pro	Ile	Phe	Ser	Glu	Gln	Phe	Leu	Val	Leu	Ser	Leu
	450				455						460				
Met	Val	Ile	Ala	Val	Leu	Leu	Ile	Val	Ser	Val	Leu	Ser	Pro	Tyr	Ile
465				470						475				480	
Leu	Leu	Met	Gly	Ala	Ile	Ile	Met	Val	Ile	Cys	Phe	Ile	Tyr	Tyr	Met
			485						490					495	
Met	Phe	Lys	Lys	Ala	Ile	Gly	Val	Phe	Lys	Arg	Leu	Glu	Asn	Tyr	Ser
		500						505					510		
Arg	Ser	Pro	Leu	Phe	Ser	His	Ile	Leu	Asn	Ser	Leu	Gln	Gly	Leu	Ser
	515					520						525			
Ser	Ile	His	Val	Tyr	Gly	Lys	Thr	Glu	Asp	Phe	Ile	Ser	Gln		
	530				535						540				

<210> 11

<211> 2700

<212> DNA

<213> homo sapiens

<400> 11

atgacaagaa	tggctgtgaa	ggctcagcat	cacacatctg	aggctcagcga	ccagcgcac	60
cgtgtgacca	gtgaagttct	cacttgcat	aagctgatta	aatgtacac	atgggagaaa	120
ccatttgcaa	aatcattga	agacctaaga	aggaaggaaa	ggaagctatt	ggagaagtgc	180
gggcttgccc	agagcctgac	aagtataacc	ttgttcac	tccccacagt	ggccacagcg	240
gtctgggttc	tcatccacac	atccttaaag	ctgaaactca	cagcgtcaat	ggccttcagc	300
atgctggcct	ccttgaatct	ccttcggctg	tcagtgttct	ttgtgcctat	tgcagtcaaa	360
ggtctcacga	attccaagtc	tgcagtgatg	aggttcaaga	agtttttct	ccaggagagc	420
cctgttttct	atgtccagac	attacaagac	cccagcaaag	ctctgggtct	tgaggaggcc	480
accttgatc	ggcaacagac	ctgtcccggg	atcgtcaatg	gggcactgga	gctggagagg	540
aacgggcatg	cttctgaggg	gatgaccagg	cctagagatg	ccctcggggc	agaggaagaa	600
gggaacagcc	tggggccaga	gttgacaaag	atcaacctgg	tgggtgtcaa	ggggatgatg	660
ttaggggtct	gcggcaacac	ggggagtggg	aagagcagcc	tgttgtcagc	cattctggag	720
gagatgcact	tgctcgaggg	ctcgggtggg	gtgcagggaa	gcctggccta	tgtccccag	780
caggcctgga	tcgtcagcgg	gaacatcagg	gagaacatcc	tcattgggagg	cgcattatgac	840

```

aaggcccgat acctccaggt gctccactgc tgctccctga atcgggacct ggaacttctg 900
ccctttggag acatgacaga gattggagag cggggcctca acctctctgg ggggcagaaa 960
cagaggatca gcctggcccg cgccgtctat tccgaccgtc agatctacct gctggacgac 1020
cccctgtctg ctgtggacgc ccacgtgggg aagcacatth ttgaggagtg cattaagaag 1080
aactcaggg ggaagacggt cgtcctgggtg acccaccagc tgcagtactt agaattttgt 1140
ggccagatca ttttgttggg aaatgggaaa atctgtgaaa atggaactca cagtgaagta 1200
atgcagaaaa aggggaaata tgcccaactt atccagaaga tgcacaagga agccacttcg 1260
gttttccgct gccccatgag tttctttgac accatcccaa taggcgggct tttgaactgc 1320
ttcgcagggg acttggaaaca gctggaccag ctcttgccca tcttttcaga gcagttcctg 1380
gtcctgtcct taatggtgat cgccgtcctg ttgattgtca gtgtgctgtc tccatataatc 1440
ctgttaaatg gagccataat catggttatt tgcttcatth attatatgat gttcaagaag 1500
gccatcggtg tgttcaagag actggagaac tatagccggt ctcctttatt ctcccacatc 1560
ctcaattctc tgcaaggcct gagctccatc catgtctatg gaaaaactga agacttcac 1620
agccagttta agaggctgac tgatgcgcag aataactacc tgctgttgtt tctatcttcc 1680
acacgatgga tggcattgag gctggagatc atgaccaacc ttgtgacctt ggctgttgcc 1740
ctgttcgtgg cttttggcat ttcctccacc ccctactcct ttaaagtcac ggctgtcaac 1800
atcgtgctgc agctggcgct gccttccag gccactgccc ggattggctt ggagacagag 1860
gcacagttca cggctgtaga gaggatactg cagtacatga agatgtgtgt ctcggaagct 1920
cctttacaca tgggaaggcac aagttgtccc caggggtggc cacagcatgg ggaatcata 1980
tttcaggatt atcacatgaa atacagagac aacacaccca ccgtgcttca cggcatcaac 2040
ctgaccatcc ggggccacga agtgggtggc atcgtgggaa ggacgggctc tgggaagtcc 2100
tccttgggca tggctctctt ccgctggtg gagcccatgg caggccggat tctcattgac 2160
ggcgtggaca tttgcagcat cggcctggag gacttgccgt ccaagctctc agtgatccct 2220
caagatccag tgctgtctc aggaaccatc agattcaacc tagatccctt tgaccgtcac 2280
actgaccagc agatctggga tgccttggag aggacattcc tgaccaaggc catctcaaag 2340
ttccccaaaa agctgcatac agatgtggtg gaaaacgggt gaaacttctc tgtgggggag 2400
aggcagctgc tctgcattgc cagggctgtg cttcgcaact ccaagatcat ccttatcgat 2460
gaagccacag cctccattga catggagaca gacaccctga tccagcgcac aatccgtgaa 2520
gccttccagg gctgcaccgt gctcgctcatt gccaccgtg tcaccactgt gctgaactgt 2580
gaccacatcc tggttatggg caatgggaag gtggtagaat ttgatcgcc ggaggtactg 2640
cggaagaagc ctgggtcatt gttcgcagcc ctcatggcca cagccacttc ttcactgaga 2700

```

<210> 12

<211> 900

<212> PRT

<213> homo sapiens

<400> 12

```

Met Thr Arg Met Ala Val Lys Ala Gln His His Thr Ser Glu Val Ser
 1          5          10         15
Asp Gln Arg Ile Arg Val Thr Ser Glu Val Leu Thr Cys Ile Lys Leu
 20          25          30
Ile Lys Met Tyr Thr Trp Glu Lys Pro Phe Ala Lys Ile Ile Glu Asp
 35          40          45
Leu Arg Arg Lys Glu Arg Lys Leu Leu Glu Lys Cys Gly Leu Val Gln
 50          55          60
Ser Leu Thr Ser Ile Thr Leu Phe Ile Ile Pro Thr Val Ala Thr Ala
 65          70          75          80
Val Trp Val Leu Ile His Thr Ser Leu Lys Leu Lys Leu Thr Ala Ser
 85          90          95
Met Ala Phe Ser Met Leu Ala Ser Leu Asn Leu Leu Arg Leu Ser Val
 100         105         110
Phe Phe Val Pro Ile Ala Val Lys Gly Leu Thr Asn Ser Lys Ser Ala
 115         120         125
Val Met Arg Phe Lys Lys Phe Phe Leu Gln Glu Ser Pro Val Phe Tyr
 130         135         140

```

Val	Gln	Thr	Leu	Gln	Asp	Pro	Ser	Lys	Ala	Leu	Val	Phe	Glu	Glu	Ala	145	150	155	160
Thr	Leu	Ser	Trp	Gln	Gln	Thr	Cys	Pro	Gly	Ile	Val	Asn	Gly	Ala	Leu	165	170		175
Glu	Leu	Glu	Arg	Asn	Gly	His	Ala	Ser	Glu	Gly	Met	Thr	Arg	Pro	Arg	180	185		190
Asp	Ala	Leu	Gly	Pro	Glu	Glu	Glu	Gly	Asn	Ser	Leu	Gly	Pro	Glu	Leu	195	200		205
His	Lys	Ile	Asn	Leu	Val	Val	Ser	Lys	Gly	Met	Met	Leu	Gly	Val	Cys	210	215		220
Gly	Asn	Thr	Gly	Ser	Gly	Lys	Ser	Ser	Leu	Leu	Ser	Ala	Ile	Leu	Glu	225	230		235
Glu	Met	His	Leu	Leu	Glu	Gly	Ser	Val	Gly	Val	Gln	Gly	Ser	Leu	Ala	245	250		255
Tyr	Val	Pro	Gln	Gln	Ala	Trp	Ile	Val	Ser	Gly	Asn	Ile	Arg	Glu	Asn	260	265		270
Ile	Leu	Met	Gly	Gly	Ala	Tyr	Asp	Lys	Ala	Arg	Tyr	Leu	Gln	Val	Leu	275	280		285
His	Cys	Cys	Ser	Leu	Asn	Arg	Asp	Leu	Glu	Leu	Leu	Pro	Phe	Gly	Asp	290	295		300
Met	Thr	Glu	Ile	Gly	Glu	Arg	Gly	Leu	Asn	Leu	Ser	Gly	Gly	Gln	Lys	305	310		315
Gln	Arg	Ile	Ser	Leu	Ala	Arg	Ala	Val	Tyr	Ser	Asp	Arg	Gln	Ile	Tyr	325	330		335
Leu	Leu	Asp	Asp	Pro	Leu	Ser	Ala	Val	Asp	Ala	His	Val	Gly	Lys	His	340	345		350
Ile	Phe	Glu	Glu	Cys	Ile	Lys	Lys	Thr	Leu	Arg	Gly	Lys	Thr	Val	Val	355	360		365
Leu	Val	Thr	His	Gln	Leu	Gln	Tyr	Leu	Glu	Phe	Cys	Gly	Gln	Ile	Ile	370	375		380
Leu	Leu	Glu	Asn	Gly	Lys	Ile	Cys	Glu	Asn	Gly	Thr	His	Ser	Glu	Leu	385	390		395
Met	Gln	Lys	Lys	Gly	Lys	Tyr	Ala	Gln	Leu	Ile	Gln	Lys	Met	His	Lys	405	410		415
Glu	Ala	Thr	Ser	Val	Phe	Arg	Cys	Pro	Met	Ser	Phe	Phe	Asp	Thr	Ile	420	425		430
Pro	Ile	Gly	Arg	Leu	Leu	Asn	Cys	Phe	Ala	Gly	Asp	Leu	Glu	Gln	Leu	435	440		445
Asp	Gln	Leu	Leu	Pro	Ile	Phe	Ser	Glu	Gln	Phe	Leu	Val	Leu	Ser	Leu	450	455		460
Met	Val	Ile	Ala	Val	Leu	Leu	Ile	Val	Ser	Val	Leu	Ser	Pro	Tyr	Ile	465	470		475
Leu	Leu	Met	Gly	Ala	Ile	Ile	Met	Val	Ile	Cys	Phe	Ile	Tyr	Tyr	Met	485	490		495
Met	Phe	Lys	Lys	Ala	Ile	Gly	Val	Phe	Lys	Arg	Leu	Glu	Asn	Tyr	Ser	500	505		510
Arg	Ser	Pro	Leu	Phe	Ser	His	Ile	Leu	Asn	Ser	Leu	Gln	Gly	Leu	Ser	515	520		525
Ser	Ile	His	Val	Tyr	Gly	Lys	Thr	Glu	Asp	Phe	Ile	Ser	Gln	Phe	Lys	530	535		540
Arg	Leu	Thr	Asp	Ala	Gln	Asn	Asn	Tyr	Leu	Leu	Leu	Phe	Leu	Ser	Ser	545	550		555
Thr	Arg	Trp	Met	Ala	Leu	Arg	Leu	Glu	Ile	Met	Thr	Asn	Leu	Val	Thr	565	570		575
Leu	Ala	Val	Ala	Leu	Phe	Val	Ala	Phe	Gly	Ile	Ser	Ser	Thr	Pro	Tyr	580	585		590

Ser Phe Lys Val Met Ala Val Asn Ile Val Leu Gln Leu Ala Ser Ser
 595 600 605
 Phe Gln Ala Thr Ala Arg Ile Gly Leu Glu Thr Glu Ala Gln Phe Thr
 610 615 620
 Ala Val Glu Arg Ile Leu Gln Tyr Met Lys Met Cys Val Ser Glu Ala
 625 630 635 640
 Pro Leu His Met Glu Gly Thr Ser Cys Pro Gln Gly Trp Pro Gln His
 645 650 655
 Gly Glu Ile Ile Phe Gln Asp Tyr His Met Lys Tyr Arg Asp Asn Thr
 660 665 670
 Pro Thr Val Leu His Gly Ile Asn Leu Thr Ile Arg Gly His Glu Val
 675 680 685
 Val Gly Ile Val Gly Arg Thr Gly Ser Gly Lys Ser Ser Leu Gly Met
 690 695 700
 Ala Leu Phe Arg Leu Val Glu Pro Met Ala Gly Arg Ile Leu Ile Asp
 705 710 715 720
 Gly Val Asp Ile Cys Ser Ile Gly Leu Glu Asp Leu Arg Ser Lys Leu
 725 730 735
 Ser Val Ile Pro Gln Asp Pro Val Leu Leu Ser Gly Thr Ile Arg Phe
 740 745 750
 Asn Leu Asp Pro Phe Asp Arg His Thr Asp Gln Gln Ile Trp Asp Ala
 755 760 765
 Leu Glu Arg Thr Phe Leu Thr Lys Ala Ile Ser Lys Phe Pro Lys Lys
 770 775 780
 Leu His Thr Asp Val Val Glu Asn Gly Gly Asn Phe Ser Val Gly Glu
 785 790 795 800
 Arg Gln Leu Leu Cys Ile Ala Arg Ala Val Leu Arg Asn Ser Lys Ile
 805 810 815
 Ile Leu Ile Asp Glu Ala Thr Ala Ser Ile Asp Met Glu Thr Asp Thr
 820 825 830
 Leu Ile Gln Arg Thr Ile Arg Glu Ala Phe Gln Gly Cys Thr Val Leu
 835 840 845
 Val Ile Ala His Arg Val Thr Thr Val Leu Asn Cys Asp His Ile Leu
 850 855 860
 Val Met Gly Asn Gly Lys Val Val Glu Phe Asp Arg Pro Glu Val Leu
 865 870 875 880
 Arg Lys Lys Pro Gly Ser Leu Phe Ala Ala Leu Met Ala Thr Ala Thr
 885 890 895
 Ser Ser Leu Arg
 900

<210> 13

<211> 2937

<212> DNA

<213> homo sapiens

<400> 13

atgactagga	agaggacata	ctgggtgccc	aactcttctg	gtggcctcgt	gaatcgtggc	60
atcgacatag	gcgatgacat	ggtttcagga	cttatttata	aaacctatac	tctccaagat	120
ggccccctgga	gtcagcaaga	gagaaatcct	gaggctccag	ggagggcagc	tgtcccaccg	180
tgggggaagt	atgatgctgc	cttgagaacc	atgattccct	tccgtcccaa	gccgaggttt	240
cctgcccccc	agccccctgga	caatgctggc	ctgttctcct	acctcaccgt	gtcatggctc	300
accccgctca	tgatccaaag	cttacggagt	cgcttagatg	agaacaccat	ccctccactg	360
tcagtccatg	atgcctcaga	caaaaatgtc	caaaggcttc	accgcctttg	ggaagaagaa	420
gtctcaaggc	gagggattga	aaaagcttca	gtgcttctgg	tgatgctgag	gttccagaga	480
acaaggttga	ttttgatgac	acttctgggc	atctgcttct	gcattgccag	tgtactcggg	540

```

ccaatattga ttataccaaa gatcctggaa tattcagaag agcagttggg gaatgtgtgc 600
catggagtgg gactctgctt tgcccttttt ctctccgaat gtgtgaagtc tctgagtttc 660
tctccagttt ggatcatcaa ccaacgcaca gccatcaggt tccaagcagc tgtttcctcc 720
tttgcttttg agaagctcat ccaatttaag tctgtaatac acatcacctc aggagaggcc 780
atcagcttct tcaccgggtga tgtaaaactac ctgtttgaag ggggtgtgcta tggaccacct 840
gtactgatca cctgcgcata gctgggtcatc tgcagcattt cttcctactt cattattgga 900
tacactgcat ttattgccat cttatgctat ctctctggtt tcccactgga ggtattcatg 960
acaagaatgg ctgtgaaggc tcagcatcac acatctgagg tcagcgacca gcgcattcgt 1020
gtgaccagtg aagtctctac ttgcattaag ctgattaaaa tgtacacatg ggagaaacca 1080
tttgcaaaaa tcattgaaga cctaagaagg aaggaaagga agctattgga gaagtgcggg 1140
cttgtccaga gcctgacaag tataaccttg ttcacatccc ccacagtggc cacagcggtc 1200
tgggttctca tccacacata cttaaagctg aaactcacag cgtcaatggc cttcagcatg 1260
ctggcctcct tgaatctcct tcggctgtca gtgttctttg tgcctattgc agtcaaaggt 1320
ctcacgaatt ccaagtctgc agtgatgagg ttcaagaagt ttttcttcca ggagagccct 1380
gttttctatg tccagacatt acaagacccc agcaaagctc tggctcttga ggaggccacc 1440
ttgtcatggc aacagacctg tcccgggatc gtcaatgggg cactggagct ggagaggaac 1500
gggcatgctt ctgaggggat gaccaggcct agagatgccc tcggggcaga ggaagaaggg 1560
aacagcctgg gccagagtt gcacaagatc aacctggtgg tgtccaaggg gatgatgta 1620
ggggctctgc gcaacacggg gagtggtaag agcagcctgt tgtcagccat cctggaggag 1680
atgcacttgc tcgagggctc ggtgggggtg cagggaagcc tggcctatgt ccccagcag 1740
gcctggatcg tcagcgggaa catcaggag aacatcctca tgggaggcgc atatgacaag 1800
gcccataacc tccaggtgct cactgctgc tccctgaatc gggacctgga acttctgccc 1860
tttgagagac tgacagagat tggagagcgg ggctcaacc tctctggggg gcagaaacag 1920
aggatcagcc tggcccgcgc cgtctattcc gaccgtcaga tctacctgct ggacgacccc 1980
ctgtctgctg tggacgccc cgtggggaag cacatttttg aggagtgc atagaagaca 2040
ctcaggggga agacggtcgt cctggtgacc caccagctgc agtacttaga attttgtggc 2100
cagatcattt tgttgaaaaa tgggaaaatc tgtgaaaatg gaactcacag tgagttaatg 2160
cagaaaaagg ggaatatatg ccaacttatc cagaagatgc acaaggagc cacttcggac 2220
atgttcagag acacagcaaa gatagcagag aagccaaagg tagaaagtca ggctctggcc 2280
acctccctgg aagagtctct caacggaaat gctgtgcccg agcatcagct cacacaggag 2340
gaggagatgg aagaaggctc cttgagttgg agggctctacc accactacat ccaggcagct 2400
ggaggttaca tggctctctg cataattttc ttcttcgtgg tgtgatcgt cttcttaacg 2460
atcttcagct tctggtggct gagctactgg ttggagcagg gctcggggac caatagcagc 2520
cgagagagca atggaaccat ggcagacctg ggcaacattg cagacaatcc tcaactgtcc 2580
ttctaccagc tgggtgtacg gctcaacgcc ctgctcctca tctgtgtggg ggtctgctcc 2640
tcagggatth tcaccaaggt cagcaggaag gcattcacgg ccctgcacaa caagctcttc 2700
aacaaggtth tccgctgccc catgagtttc tttgacacca tcccaatagg cgggcttttg 2760
aactgcttcg caggggactt ggaacagctg gaccagctct tgcccatctt ttcagagcag 2820
ttcctggtcc tgtccttaat ggtgatcgcc gtctgttgga ttgtcagtg gctgtctcca 2880
tatatcctgt taatgggagc cataatcatg gttatttgct tcatttatta tatgtga 2937

```

<210> 14

<211> 975

<212> PRT

<213> homo sapiens

<400> 14

```

Met Thr Arg Lys Arg Thr Tyr Trp Val Pro Asn Ser Ser Gly Gly Leu
1          5          10          15
Val Asn Arg Gly Ile Asp Ile Gly Asp Asp Met Val Ser Gly Leu Ile
20          25          30
Tyr Lys Thr Tyr Thr Leu Gln Asp Gly Pro Trp Ser Gln Gln Glu Arg
35          40          45
Asn Pro Glu Ala Pro Gly Arg Ala Ala Val Pro Pro Trp Gly Lys Tyr
50          55          60
Asp Ala Ala Leu Arg Thr Met Ile Pro Phe Arg Pro Lys Pro Arg Phe

```

65		70		75		80									
Pro	Ala	Pro	Gln	Pro	Leu	Gly	Leu	Phe	Ser	Tyr	Leu	Thr	Val	Ser	Trp
		85							90					95	
Leu	Thr	Pro	Leu	Met	Ile	Gln	Ser	Leu	Arg	Ser	Arg	Leu	Asp	Glu	Asn
		100						105					110		
Thr	Ile	Pro	Pro	Leu	Ser	Val	His	Asp	Ala	Ser	Asp	Lys	Asn	Val	Gln
		115					120					125			
Arg	Leu	His	Arg	Leu	Trp	Glu	Glu	Glu	Val	Ser	Arg	Arg	Gly	Ile	Glu
		130				135					140				
Lys	Ala	Ser	Val	Leu	Leu	Val	Met	Leu	Arg	Phe	Gln	Arg	Thr	Arg	Leu
145				150						155					160
Ile	Phe	Asp	Ala	Leu	Leu	Gly	Ile	Cys	Phe	Cys	Ile	Ala	Ser	Val	Leu
		165							170					175	
Gly	Pro	Ile	Leu	Ile	Ile	Pro	Lys	Ile	Leu	Glu	Tyr	Ser	Glu	Glu	Gln
		180						185					190		
Leu	Gly	Asn	Val	Val	His	Gly	Val	Gly	Leu	Cys	Phe	Ala	Leu	Phe	Leu
		195					200					205			
Ser	Glu	Cys	Val	Lys	Ser	Leu	Ser	Phe	Ser	Ser	Ser	Trp	Ile	Ile	Asn
		210				215						220			
Gln	Arg	Thr	Ala	Ile	Arg	Phe	Gln	Ala	Ala	Val	Ser	Ser	Phe	Ala	Phe
225				230						235					240
Glu	Lys	Leu	Ile	Gln	Phe	Lys	Ser	Val	Ile	His	Ile	Thr	Ser	Gly	Glu
				245						250				255	
Ala	Ile	Ser	Phe	Phe	Thr	Gly	Asp	Val	Asn	Tyr	Leu	Phe	Glu	Gly	Val
		260					265						270		
Cys	Tyr	Gly	Pro	Leu	Val	Leu	Ile	Thr	Cys	Ala	Ser	Leu	Val	Ile	Cys
		275					280					285			
Ser	Ile	Ser	Ser	Tyr	Phe	Ile	Ile	Gly	Tyr	Thr	Ala	Phe	Ile	Ala	Ile
		290				295					300				
Leu	Cys	Tyr	Leu	Leu	Val	Phe	Pro	Leu	Glu	Val	Phe	Met	Thr	Arg	Met
305				310						315					320
Ala	Val	Lys	Ala	Gln	His	His	Thr	Ser	Glu	Val	Ser	Asp	Gln	Arg	Ile
				325					330					335	
Arg	Val	Thr	Ser	Glu	Val	Leu	Thr	Cys	Ile	Lys	Leu	Ile	Lys	Met	Tyr
		340						345					350		
Thr	Trp	Glu	Lys	Pro	Phe	Ala	Lys	Ile	Ile	Glu	Asp	Leu	Arg	Arg	Lys
		355					360					365			
Glu	Arg	Lys	Leu	Leu	Glu	Lys	Cys	Gly	Leu	Val	Gln	Ser	Leu	Thr	Ser
		370				375					380				
Ile	Thr	Leu	Phe	Ile	Ile	Pro	Thr	Val	Ala	Thr	Ala	Val	Trp	Val	Leu
385				390						395					400
Ile	His	Thr	Ser	Leu	Lys	Leu	Lys	Leu	Thr	Ala	Ser	Met	Ala	Phe	Ser
				405					410					415	
Met	Leu	Ala	Ser	Leu	Asn	Leu	Leu	Arg	Leu	Ser	Val	Phe	Phe	Val	Pro
		420						425					430		
Ile	Ala	Val	Lys	Gly	Leu	Thr	Asn	Ser	Lys	Ser	Ala	Val	Met	Arg	Phe
		435					440					445			
Lys	Lys	Phe	Phe	Leu	Gln	Glu	Ser	Pro	Val	Phe	Tyr	Val	Gln	Thr	Leu
		450				455					460				
Gln	Asp	Pro	Ser	Lys	Ala	Leu	Val	Phe	Glu	Glu	Ala	Thr	Leu	Ser	Trp
465				470						475					480
Gln	Gln	Thr	Cys	Pro	Gly	Ile	Val	Asn	Gly	Ala	Leu	Glu	Leu	Glu	Arg
				485					490					495	
Asn	Gly	His	Ala	Ser	Glu	Gly	Met	Thr	Arg	Pro	Arg	Asp	Ala	Leu	Gly
		500						505				510			
Pro	Glu	Glu	Glu	Gly	Asn	Ser	Leu	Gly	Pro	Glu	Leu	His	Lys	Ile	Asn

515	520	525
Leu Val Val Ser Lys Gly Met Met Leu Gly Val Cys Gly Asn Thr Gly		
530	535	540
Ser Gly Lys Ser Ser Leu Leu Ser Ala Ile Leu Glu Glu Met His Leu		
545	550	555
Leu Glu Gly Ser Val Gly Val Gln Gly Ser Leu Ala Tyr Val Pro Gln		
565	570	575
Gln Ala Trp Ile Val Ser Gly Asn Ile Arg Glu Asn Ile Leu Met Gly		
580	585	590
Gly Ala Tyr Asp Lys Ala Arg Tyr Leu Gln Val Leu His Cys Cys Ser		
595	600	605
Leu Asn Arg Asp Leu Glu Leu Leu Pro Phe Gly Asp Met Thr Glu Ile		
610	615	620
Gly Glu Arg Gly Leu Asn Leu Ser Gly Gly Gln Lys Gln Arg Ile Ser		
625	630	635
Leu Ala Arg Ala Val Tyr Ser Asp Arg Gln Ile Tyr Leu Leu Asp Asp		
645	650	655
Pro Leu Ser Ala Val Asp Ala His Val Gly Lys His Ile Phe Glu Glu		
660	665	670
Cys Ile Lys Lys Thr Leu Arg Gly Lys Thr Val Val Leu Val Thr His		
675	680	685
Gln Leu Gln Tyr Leu Glu Phe Cys Gly Gln Ile Ile Leu Leu Glu Asn		
690	695	700
Gly Lys Ile Cys Glu Asn Gly Thr His Ser Glu Leu Met Gln Lys Lys		
705	710	715
Gly Lys Tyr Ala Gln Leu Ile Gln Lys Met His Lys Glu Ala Thr Ser		
725	730	735
Asp Met Leu Gln Asp Thr Ala Lys Ile Ala Glu Lys Pro Lys Val Glu		
740	745	750
Ser Gln Ala Leu Ala Thr Ser Leu Glu Glu Ser Leu Asn Gly Asn Ala		
755	760	765
Val Pro Glu His Gln Leu Thr Gln Glu Glu Glu Met Glu Glu Gly Ser		
770	775	780
Leu Ser Trp Arg Val Tyr His His Tyr Ile Gln Ala Ala Gly Gly Tyr		
785	790	795
Met Val Ser Cys Ile Ile Phe Phe Phe Val Val Leu Ile Val Phe Leu		
805	810	815
Thr Ile Phe Ser Phe Trp Trp Leu Ser Tyr Trp Leu Glu Gln Gly Ser		
820	825	830
Gly Thr Asn Ser Ser Arg Glu Ser Asn Gly Thr Met Ala Asp Leu Gly		
835	840	845
Asn Ile Ala Asp Asn Pro Gln Leu Ser Phe Tyr Gln Leu Val Tyr Gly		
850	855	860
Leu Asn Ala Leu Leu Leu Ile Cys Val Gly Val Cys Ser Ser Gly Ile		
865	870	875
Phe Thr Lys Val Thr Arg Lys Ala Ser Thr Ala Leu His Asn Lys Leu		
885	890	895
Phe Asn Lys Val Phe Arg Cys Pro Met Ser Phe Phe Asp Thr Ile Pro		
900	905	910
Ile Gly Arg Leu Leu Asn Cys Phe Ala Gly Asp Leu Glu Gln Leu Asp		
915	920	925
Gln Leu Leu Pro Ile Phe Ser Glu Gln Phe Leu Val Leu Ser Leu Met		
930	935	940
Val Ile Ala Val Leu Leu Ile Val Ser Val Leu Ser Pro Tyr Ile Leu		
945	950	955
Leu Met Gly Ala Ile Ile Met Val Ile Cys Phe Ile Tyr Tyr Met		960

<210> 15
 <211> 3075
 <212> DNA
 <213> homo sapiens

<400> 15

atgactagga	agaggacata	ctgggtgccc	aactcttctg	gtggcctcgt	gaatcgtggc	60
atcgacatag	gcgatgacat	ggtttcagga	cttatttata	aaacctatac	tctccaagat	120
ggcccttgga	gtcagcaaga	gagaaatcct	gaggctccag	ggagggcagc	tgtcccaccg	180
tgggggaagt	atgatgctgc	cttgagaacc	atgattccct	tccgtcccaa	gccgaggttt	240
cctgcccccc	agcccttgga	caatgctggc	ctgttctcct	acctcaccgt	gtcatggctc	300
accccgctca	tgatccaaag	cttacggagt	cgcttagatg	agaacaccat	ccctccactg	360
tcagtccatg	atgcctcaga	caaaaatgtc	caaaggcttc	accgcctttg	ggaagaagaa	420
gtctcaaggc	gagggattga	aaaagcttca	gtgcttctgg	tgatgctgag	gttccagaga	480
acaaggttga	ttttc gatgc	acttctgggc	atctgcttct	gcattgccag	tgtactcggg	540
ccaatattga	ttataccaaa	gacccctgga	tattcagaag	agcagttggg	gaatgtgtgc	600
catggagtgg	gactctgctt	tgcctttttt	ctctccgaat	gtgtgaagtc	tctgagtttc	660
tcctccagtt	ggatcatcaa	ccaacgcaca	gccatcaggt	tccaagcagc	tgtttccctc	720
tttgcccttg	agaagctcat	ccaatttaag	tctgtaatac	acatcacctc	aggagaggcc	780
atcagcttct	tcaccgggtga	tgtaaactac	ctgtttgaag	gggtgtgcta	tggaccctta	840
gtactgatca	cctgcgcata	gctgggtcatc	tgcagcattt	cttctactt	cattatttga	900
tacactgcat	ttattgccat	cttatgctat	ctcctggttt	tcccactgga	ggtattcatg	960
acaagaatgg	ctgtgaaggc	tcagcatcac	acatctgagg	tcagcgacca	gcgcatccgt	1020
gtgaccagtg	aagttctcac	ttgcattaag	ctgattaaaa	tgtacacatg	ggagaaacca	1080
tttgcaaaaa	tcattgaaga	cctaagaagg	aaggaaagga	agctatttga	gaagtgcggg	1140
cttgtccaga	gcctgacaag	tataaccttg	ttcatcatcc	ccacagtggc	cacagcggtc	1200
tgggttctca	tccacacatc	cttaaagctg	aaactcacag	cgtcaatggc	cttcagcatg	1260
ctggcctcct	tgaatctcct	tcggctgtca	gtgttctttg	tgcctattgc	agtcaaaggt	1320
ctcacgaatt	ccaagtctgc	agtgatgagg	ttcaagaagt	ttttcctcca	ggagagccct	1380
gttttctatg	tccagacatt	acaagacccc	agcaaagctc	tggctcttga	ggaggccacc	1440
ttgtcatggc	aacagacctg	tcccgggac	gtcaatgggg	cactggagct	ggagagggaac	1500
gggcatgctt	ctgaggggat	gaccaggcct	agagatgccc	tcggggcaga	ggaagaaggg	1560
aacagcctgg	gcccagagtt	gcacaagatc	aacctgggtg	tgtccaaggg	gatgatgtta	1620
ggggtctgcg	gcaacacggg	gagtggtaag	agcagcctgt	tgtcagccat	cctggaggag	1680
atgcacttgc	tcgagggctc	ggtgggggtg	cagggaagcc	tggcctatgt	ccccagcag	1740
gcctggatcg	tcagcgggaa	catcaggggag	aacatcctca	tgggaggcgc	atatgacaag	1800
gcccagatacc	tccaggtgct	ccactgctgc	tccctgaatc	gggacctgga	acttctgccc	1860
tttgagagaca	tgacagagat	tggagagcgg	ggcctcaacc	tctctggggg	gcagaaacag	1920
aggatcagcc	tggcccgcgc	cgtctattcc	gaccgtcaga	tctacctgct	ggacgacccc	1980
ctgtctgctg	tggacgcca	cgtggggaag	cacatttttg	aggagtgcct	taagaagaca	2040
ctcaggggga	agacggtcgt	cctgggtgacc	caccagctgc	agtacttaga	atthttgtggc	2100
cagatcattt	tgttggaaaa	tgggaaaatc	tgtgaaaatg	gaactcacag	tgagttaatg	2160
cagaaaaagg	ggaaatatgc	ccaacttatc	cagaagatgc	acaaggaagc	cacttcggac	2220
atgttgacag	acacagcaaa	gatagcagag	aagccaaagg	tagaaagtca	ggctctggcc	2280
acctccctgg	aagagtctct	caacggaaat	gctgtgccgg	agcatcagct	cacacaggag	2340
gaggagatgg	aagaaggctc	cttgagttgg	agggcttacc	accactacat	ccaggcagct	2400
ggaggttaca	tggctctctg	cataattttt	ttcttcgtgg	tgtctgctgt	cttcttaacg	2460
atcttcagct	tctgggtggc	gagctactgg	ttggagcagg	gctcggggac	caatagcagc	2520
cgagagagca	atggaacctat	ggcagacctg	ggcaacattg	cagacaatcc	tcaactgtcc	2580
ttctaccagc	tgggtgtacg	gctcaacgcc	ctgctcctca	tctgtgtggg	ggtctgtccc	2640
tcagggatth	tcaccaagg	cacgaggaag	gcatccacgg	ccctgcacaa	caagctcttc	2700
aacaaggtht	tccgctgccc	catgagtttc	tttgacacca	tcccaatagg	ccggcttttg	2760
aactgcttcg	caggggactt	ggaacagctg	gaccagctct	tgcccatctt	ttcagagcag	2820
ttcctggtcc	tgtccttaat	ggtgatcgcc	gtcctgttga	ttgtcagttg	gctgtctcca	2880

tatatcctgt	taatgggagc	cataatcatg	gttatttgct	tcattttatta	tatgatgttc	2940
aagaaggcca	tcgggtgtgt	caagagactg	gagaactata	gccggtctcc	tttattctcc	3000
cacatcctca	attctctgca	aggcctgagc	tccatccatg	tctatggaaa	aactgaagac	3060
ttcatcagcc	agtga					3075

<210> 16
 <211> 1021
 <212> PRT
 <213> homo sapiens

<400> 16

Met	Thr	Arg	Lys	Arg	Thr	Tyr	Trp	Val	Pro	Asn	Ser	Ser	Gly	Gly	Leu
1				5					10					15	
Val	Asn	Arg	Gly	Ile	Asp	Ile	Gly	Asp	Met	Val	Ser	Gly	Leu	Ile	
			20					25					30		
Tyr	Lys	Thr	Tyr	Thr	Leu	Gln	Asp	Gly	Pro	Trp	Ser	Gln	Glu	Arg	
			35				40					45			
Asn	Pro	Glu	Ala	Pro	Gly	Arg	Ala	Ala	Val	Pro	Pro	Trp	Gly	Lys	Tyr
			50			55					60				
Asp	Ala	Ala	Leu	Arg	Thr	Met	Ile	Pro	Phe	Arg	Pro	Lys	Pro	Arg	Phe
65					70				75						80
Pro	Ala	Pro	Gln	Pro	Leu	Gly	Leu	Phe	Ser	Tyr	Leu	Thr	Val	Ser	Trp
			85					90						95	
Leu	Thr	Pro	Leu	Met	Ile	Gln	Ser	Leu	Arg	Ser	Arg	Leu	Asp	Glu	Asn
			100					105					110		
Thr	Ile	Pro	Pro	Leu	Ser	Val	His	Asp	Ala	Ser	Asp	Lys	Asn	Val	Gln
			115				120					125			
Arg	Leu	His	Arg	Leu	Trp	Glu	Glu	Glu	Val	Ser	Arg	Arg	Gly	Ile	Glu
			130			135					140				
Lys	Ala	Ser	Val	Leu	Leu	Val	Met	Leu	Arg	Phe	Gln	Arg	Thr	Arg	Leu
145					150					155					160
Ile	Phe	Asp	Ala	Leu	Leu	Gly	Ile	Cys	Phe	Cys	Ile	Ala	Ser	Val	Leu
			165					170						175	
Gly	Pro	Ile	Leu	Ile	Ile	Pro	Lys	Ile	Leu	Glu	Tyr	Ser	Glu	Glu	Gln
			180					185						190	
Leu	Gly	Asn	Val	Val	His	Gly	Val	Gly	Leu	Cys	Phe	Ala	Leu	Phe	Leu
			195				200					205			
Ser	Glu	Cys	Val	Lys	Ser	Leu	Ser	Phe	Ser	Ser	Ser	Trp	Ile	Ile	Asn
			210			215					220				
Gln	Arg	Thr	Ala	Ile	Arg	Phe	Gln	Ala	Ala	Val	Ser	Ser	Phe	Ala	Phe
225					230					235					240
Glu	Lys	Leu	Ile	Gln	Phe	Lys	Ser	Val	Ile	His	Ile	Thr	Ser	Gly	Glu
			245						250					255	
Ala	Ile	Ser	Phe	Phe	Thr	Gly	Asp	Val	Asn	Tyr	Leu	Phe	Glu	Gly	Val
			260				265						270		
Cys	Tyr	Gly	Pro	Leu	Val	Leu	Ile	Thr	Cys	Ala	Ser	Leu	Val	Ile	Cys
			275				280					285			
Ser	Ile	Ser	Ser	Tyr	Phe	Ile	Ile	Gly	Tyr	Thr	Ala	Phe	Ile	Ala	Ile
			290			295					300				
Leu	Cys	Tyr	Leu	Leu	Val	Phe	Pro	Leu	Glu	Val	Phe	Met	Thr	Arg	Met
305					310					315					320
Ala	Val	Lys	Ala	Gln	His	His	Thr	Ser	Glu	Val	Ser	Asp	Gln	Arg	Ile
			325						330					335	
Arg	Val	Thr	Ser	Glu	Val	Leu	Thr	Cys	Ile	Lys	Leu	Ile	Lys	Met	Tyr
			340					345					350		
Thr	Trp	Glu	Lys	Pro	Phe	Ala	Lys	Ile	Ile	Glu	Asp	Leu	Arg	Arg	Lys

ctcacgaatt	ccaagtctgc	agtgatgagg	ttcaagaagt	ttttcctcca	ggagagccct	1380
gttttctatg	tccagacatt	acaagacccc	agcaaagctc	tggctcttga	ggaggccacc	1440
ttgtcatggc	aacagacctg	tcccgggac	gtcaatgggg	cactggagct	ggagaggaac	1500
gggcatgctt	ctgaggggat	gaccaggcct	agagatgccc	tcggggccaga	ggaagaaggg	1560
aacagcctgg	gcccagagtt	gcacaagatc	aacctgggtg	tgtccaaggg	gatgatgtta	1620
ggggctctgcg	gcaacacggg	gagtggttaag	agcagcctgt	tgtcagccat	cctggaggag	1680
atgcacttgc	tcgagggctc	ggtgggggtg	cagggaagcc	tggcctatgt	cccccagcag	1740
gcctggatcg	tcagcgggaa	catcaggggag	aacatcctca	tgggaggcgc	atatgacaag	1800
gcccgatacc	tccaggtgct	ccactgctgc	tccctgaatc	gggacctgga	acttctgccc	1860
tttgagagaca	tgacagagat	tggagagcgg	ggcctcaacc	tctctggggg	gcagaaacag	1920
aggatcagcc	tggcccgcgc	cgtctattcc	gaccgtcaga	tctacctgct	ggacgacccc	1980
ctgtctgctg	tggacgcca	cgtggggaag	cacatttttg	aggagtgc	taagaagaca	2040
ctcaggggga	agacggtcgt	cctggtgacc	caccagctgc	agtacttaga	attttgtggc	2100
cagatcattt	tgttggaata	tgggaaaatc	tgtgaaaatg	gaactcacag	tgagttaatg	2160
cagaaaaagg	ggaaatatgc	ccaacttata	cagaagatgc	acaaggaagc	cacttcggac	2220
atgttgcagg	acacagcaaa	gatagcagag	aagccaaagg	tagaaagtca	ggctctggcc	2280
acctccctgg	aagagtctct	caacggaaat	gctgtgccgg	agcatcagct	cacacaggag	2340
gaggagatgg	aagaaggctc	cttgagttgg	agggtctacc	accactacat	ccaggcagct	2400
ggaggttaca	tggctctctg	cataattttc	ttcttctgtg	tgtgatcgt	cttcttaacg	2460
atcttcagct	tctggtggct	gagctactgg	ttggagcagg	gctcggggac	caatagcagc	2520
cgagagagca	atggaaccat	ggcagacctg	ggcaacattg	cagacaatcc	tcaactgtcc	2580
ttctaccagc	tgggtgtacg	gctcaacgcc	ctgctcctca	tctgtgtggg	ggtctgtctc	2640
tcagggattt	tcaccaaggt	cacgaggaag	gcattccagg	ccctgcacaa	caagctcttc	2700
aacaaggttt	tccgctgccc	catgagtttc	tttgacacca	tcccaatagg	ccggcttttg	2760
aactgcttcg	caggggactt	ggaacagctg	gaccagctct	tgcccatctt	ttcagagcag	2820
ttcctggctc	tgtccttaat	ggtgatcgcc	gtcctgttga	ttgtcagtg	gctgtctcca	2880
tatatcctgt	taatgggagc	cataatcatg	gttatttgc	tcatttatta	tatgatgttc	2940
aagaaggcca	tgggtgtgtt	caagagactg	gagaactata	gccggtctcc	tttattctcc	3000
cacatcctca	attctctgca	aggcctgagc	tccatccatg	tctatggaaa	aactgaagac	3060
ttcatcagcc	agtttaagag	gctgactgat	gcgcagaata	actacctgct	gttgtttcta	3120
tcttccacac	gatggatggc	attgaggctg	gagatcatga	ccaaccttgt	gaccttggtc	3180
gttgccctgt	tcgtggcttt	tggcatttcc	tccacccctc	actcctttaa	agtcattggt	3240
gtcaacatcg	tgtgcagct	ggcgtccagc	ttccaggcca	ctgcccggt	tggcttggag	3300
acagaggcac	agttcacggc	tgtagagagg	atactgcagt	acatgaagat	gtgtgtctcg	3360
gaagctcctt	tacacatgga	aggcacaagt	tgtccccagg	ggtggccaca	gcattgggaa	3420
atcataatttc	aggattatca	catgaaatac	agagacaaca	caccacccgt	gcttcacggc	3480
atcaacctga	ccatccgcgg	ccacgaagtg	gtgggcatcg	tgggaaggac	gggctctggg	3540
aagtcctcct	tgggcatggc	tctcttccgc	ctgggtggagc	ccatggcagg	ccggattctc	3600
attgacggcg	tggacatttg	cagcatcggc	ctggaggact	tgcggtccaa	gctctcagtg	3660
atccctcaag	atccagtgc	gctctcagga	accatcagat	tcaacctaga	tccctttgac	3720
cgtcacactg	accagcagat	ctgggatgcc	ttggagagga	cattcctgac	caaggccatc	3780
tcaaagttcc	ccaaaaagct	gcatacagat	gtgggtggaaa	acggtggaaa	cttctctgtg	3840
ggggagaggc	agctgctctg	cattgccagg	gctgtgcttc	gcaactccaa	gatcatcctt	3900
atcgatgaag	ccacagcctc	cattgacatg	gagacagaca	ccctgatcca	gcgcacaatc	3960
cgtgaagcct	tccagggctg	caccgtgctc	gtcattgccc	accgtgtcac	cactgtgctg	4020
aactgtgacc	acatcctggt	tatgggcaat	gggaagggtg	tagaatttga	tcggccggag	4080
gtactgcgga	agaagcctgg	gtcattgttc	gcagccctca	tggccacagc	cacttcttca	4140
ctgagataa						4149

<210> 18

<211> 1379

<212> PRT

<213> homo sapiens

<400> 18

Met Thr Arg Lys Arg Thr Tyr Trp Val Pro Asn Ser Ser Gly Gly Leu

1	5	10	15
Val Asn Arg Gly Ile Asp Ile Gly Asp Met Val Ser Gly Leu Ile			
20	25	30	
Tyr Lys Thr Tyr Thr Leu Gln Asp Gly Pro Trp Ser Gln Gln Glu Arg			
35	40	45	
Asn Pro Glu Ala Pro Gly Arg Ala Ala Val Pro Pro Trp Gly Lys Tyr			
50	55	60	
Asp Ala Ala Leu Arg Thr Met Ile Pro Phe Arg Pro Lys Pro Arg Phe			
65	70	75	80
Pro Ala Pro Gln Pro Leu Gly Leu Phe Ser Tyr Leu Thr Val Ser Trp			
85	90	95	
Leu Thr Pro Leu Met Ile Gln Ser Leu Arg Ser Arg Leu Asp Glu Asn			
100	105	110	
Thr Ile Pro Pro Leu Ser Val His Asp Ala Ser Asp Lys Asn Val Gln			
115	120	125	
Arg Leu His Arg Leu Trp Glu Glu Val Ser Arg Arg Gly Ile Glu			
130	135	140	
Lys Ala Ser Val Leu Leu Val Met Leu Arg Phe Gln Arg Thr Arg Leu			
145	150	155	160
Ile Phe Asp Ala Leu Leu Gly Ile Cys Phe Cys Ile Ala Ser Val Leu			
165	170	175	
Gly Pro Ile Leu Ile Ile Pro Lys Ile Leu Glu Tyr Ser Glu Glu Gln			
180	185	190	
Leu Gly Asn Val Val His Gly Val Gly Leu Cys Phe Ala Leu Phe Leu			
195	200	205	
Ser Glu Cys Val Lys Ser Leu Ser Phe Ser Ser Ser Trp Ile Ile Asn			
210	215	220	
Gln Arg Thr Ala Ile Arg Phe Gln Ala Ala Val Ser Ser Phe Ala Phe			
225	230	235	240
Glu Lys Leu Ile Gln Phe Lys Ser Val Ile His Ile Thr Ser Gly Glu			
245	250	255	
Ala Ile Ser Phe Phe Thr Gly Asp Val Asn Tyr Leu Phe Glu Gly Val			
260	265	270	
Cys Tyr Gly Pro Leu Val Leu Ile Thr Cys Ala Ser Leu Val Ile Cys			
275	280	285	
Ser Ile Ser Ser Tyr Phe Ile Ile Gly Tyr Thr Ala Phe Ile Ala Ile			
290	295	300	
Leu Cys Tyr Leu Leu Val Phe Pro Leu Glu Val Phe Met Thr Arg Met			
305	310	315	320
Ala Val Lys Ala Gln His His Thr Ser Glu Val Ser Asp Gln Arg Ile			
325	330	335	
Arg Val Thr Ser Glu Val Leu Thr Cys Ile Lys Leu Ile Lys Met Tyr			
340	345	350	
Thr Trp Glu Lys Pro Phe Ala Lys Ile Ile Glu Asp Leu Arg Arg Lys			
355	360	365	
Glu Arg Lys Leu Leu Glu Lys Cys Gly Leu Val Gln Ser Leu Thr Ser			
370	375	380	
Ile Thr Leu Phe Ile Ile Pro Thr Val Ala Thr Ala Val Trp Val Leu			
385	390	395	400
Ile His Thr Ser Leu Lys Leu Lys Leu Thr Ala Ser Met Ala Phe Ser			
405	410	415	
Met Leu Ala Ser Leu Asn Leu Leu Arg Leu Ser Val Phe Phe Val Pro			
420	425	430	
Ile Ala Val Lys Gly Leu Thr Asn Ser Lys Ser Ala Val Met Arg Phe			
435	440	445	
Lys Lys Phe Phe Leu Gln Glu Ser Pro Val Phe Tyr Val Gln Thr Leu			

450 455 460
 Gln Asp Pro Ser Lys Ala Leu Val Phe Glu Glu Ala Thr Leu Ser Trp
 465 470 475 480
 Gln Gln Thr Cys Pro Gly Ile Val Asn Gly Ala Leu Glu Leu Glu Arg
 485 490 495
 Asn Gly His Ala Ser Glu Gly Met Thr Arg Pro Arg Asp Ala Leu Gly
 500 505 510
 Pro Glu Glu Glu Gly Asn Ser Leu Gly Pro Glu Leu His Lys Ile Asn
 515 520 525
 Leu Val Val Ser Lys Gly Met Met Leu Gly Val Cys Gly Asn Thr Gly
 530 535 540
 Ser Gly Lys Ser Ser Leu Leu Ser Ala Ile Leu Glu Glu Met His Leu
 545 550 555 560
 Leu Glu Gly Ser Val Gly Val Gln Gly Ser Leu Ala Tyr Val Pro Gln
 565 570 575
 Gln Ala Trp Ile Val Ser Gly Asn Ile Arg Glu Asn Ile Leu Met Gly
 580 585 590
 Gly Ala Tyr Asp Lys Ala Arg Tyr Leu Gln Val Leu His Cys Cys Ser
 595 600 605
 Leu Asn Arg Asp Leu Glu Leu Leu Pro Phe Gly Asp Met Thr Glu Ile
 610 615 620
 Gly Glu Arg Gly Leu Asn Leu Ser Gly Gly Gln Lys Gln Arg Ile Ser
 625 630 635 640
 Leu Ala Arg Ala Val Tyr Ser Asp Arg Gln Ile Tyr Leu Leu Asp Asp
 645 650 655
 Pro Leu Ser Ala Val Asp Ala His Val Gly Lys His Ile Phe Glu Glu
 660 665 670
 Cys Ile Lys Lys Thr Leu Arg Gly Lys Thr Val Val Leu Val Thr His
 675 680 685
 Gln Leu Gln Tyr Leu Glu Phe Cys Gly Gln Ile Ile Leu Leu Glu Asn
 690 695 700
 Gly Lys Ile Cys Glu Asn Gly Thr His Ser Glu Leu Met Gln Lys Lys
 705 710 715 720
 Gly Lys Tyr Ala Gln Leu Ile Gln Lys Met His Lys Glu Ala Thr Ser
 725 730 735
 Asp Met Leu Gln Asp Thr Ala Lys Ile Ala Glu Lys Pro Lys Val Glu
 740 745 750
 Ser Gln Ala Leu Ala Thr Ser Leu Glu Glu Ser Leu Asn Gly Asn Ala
 755 760 765
 Val Pro Glu His Gln Leu Thr Gln Glu Glu Glu Met Glu Glu Gly Ser
 770 775 780
 Leu Ser Trp Arg Val Tyr His His Tyr Ile Gln Ala Ala Gly Gly Tyr
 785 790 795 800
 Met Val Ser Cys Ile Ile Phe Phe Phe Val Val Leu Ile Val Phe Leu
 805 810 815
 Thr Ile Phe Ser Phe Trp Trp Leu Ser Tyr Trp Leu Glu Gln Gly Ser
 820 825 830
 Gly Thr Asn Ser Ser Arg Glu Ser Asn Gly Thr Met Ala Asp Leu Gly
 835 840 845
 Asn Ile Ala Asp Asn Pro Gln Leu Ser Phe Tyr Gln Leu Val Tyr Gly
 850 855 860
 Leu Asn Ala Leu Leu Leu Ile Cys Val Gly Val Cys Ser Ser Gly Ile
 865 870 875 880
 Phe Thr Lys Val Thr Arg Lys Ala Ser Thr Ala Leu His Asn Lys Leu
 885 890 895
 Phe Asn Lys Val Phe Arg Cys Pro Met Ser Phe Phe Asp Thr Ile Pro

1345 1350 1355 1360
 Lys Lys Pro Gly Ser Leu Phe Ala Ala Leu Met Ala Thr Ala Thr Ser
 1365 1370 1375
 Ser Leu Arg

<210> 19
 <211> 2448
 <212> DNA
 <213> homo sapiens

<400> 19

atgactagga	agaggacata	ctgggtgccc	aactcttctg	gtggcctcgt	gaatcgtggc	60
atcgacatag	gcgatgacat	ggtttcagga	cttattttata	aaacctatac	tctccaagat	120
ggcccctgga	gtcagcaaga	gagaaatcct	gaggctccag	ggagggcagc	tgtcccaccg	180
tgggggaagt	atgatgctgc	cttgagaacc	atgattccct	tccgtcccaa	gccgaggttt	240
cctgcccccc	agcccctgga	caatgctggc	ctgttctcct	acctcaccgt	gtcatggctc	300
accccgctca	tgatccaaag	cttacggagt	cgcttagatg	agaacaccat	ccctccactg	360
tcagtccatg	atgcctcaga	caaaaatgtc	caaaggcttc	accgcctttg	ggaagaagaa	420
gtctcaaggc	gagggattga	aaaagcttca	gtgcttctgg	tgatgctgag	gttccagaga	480
acaaggttga	ttttcgatgc	acttctgggc	atctgcttct	gcattgccag	tgtactcggg	540
ccaatattga	ttataccaaa	gatcctggaa	tattcagaag	agcagttggg	gaatgttgtc	600
catggagtgg	gactctgctt	tgcccttttt	ctctccgaat	gtgtgaagtc	tctgagtttc	660
tctccagttt	ggatcatcaa	ccaacgcaca	gccatcaggt	tccaagcagc	tgtttcctcc	720
tttgcccttg	agaagctcat	ccaatttaag	tctgtaatac	acatcacctc	aggagaggcc	780
atcagcttct	tcaccggtga	tgtaaactac	ctgtttgaag	gggtgtgcta	tggacccta	840
gtactgatca	cctgcgcata	gctggctcat	tgcagcattt	cttcctactt	cattattgga	900
tacactgcat	ttattgccat	cttatgctat	ctcctggttt	tcccactgga	ggtattcatg	960
acaagaatgg	ctgtgaaggc	tcagcatcac	acatctgagg	tcagcgacca	gcgcatacgt	1020
gtgaccagtg	aagttctcac	ttgcattaag	ctgattaaaa	tgtacacatg	ggagaaacca	1080
tttgcaaaaa	tcattgaaga	cctaagaagg	aaggaaagga	agctattgga	gaagtgcggg	1140
cttgtccaga	gcctgacaag	tataaccttg	ttcatcatcc	ccacagtggc	cacagcggtc	1200
tgggtttctca	tccacacatc	cttaaagctg	aaactcacag	cgtaaatggc	cttcagcatg	1260
ctggcctcct	tgaatctcct	tccgctgtca	gtgttctttg	tgcctattgc	agtcaaaggt	1320
ctcacgaatt	ccaagtctgc	agtgatgagg	ttcaagaagt	ttttcctcca	ggagagccct	1380
gtttttctatg	tccagacatt	acaagacccc	agcaaagctc	tggctcttga	ggaggccacc	1440
ttgtcatggc	aacagacctg	tcccgggata	gtcaatgggg	cactggagct	ggagagggaac	1500
gggcatgctt	ctgaggggat	gaccaggcct	agagatgccc	tccggccaga	ggaagaaggg	1560
aacagcctgg	gccagaggtt	gcacaagatc	aacctgggtg	tgtccaaggg	gatgatgtta	1620
ggggtctgcg	gcaacacggg	gagtggtaag	agcagcctgt	tgtcagccat	cctggaggag	1680
atgcacttgc	tccagggctc	ggtgggggtg	cagggaagcc	tggcctatgt	cccccagcag	1740
gcctggatcg	tcagcgggaa	catcagggag	aacatcctca	tgggaggcgc	atatgacaag	1800
gcccgatacc	tccaggtgct	ccactgctgc	tccctgaatc	gggacctgga	acttctgccc	1860
tttgagagaca	tgacagagat	tggagagcgg	ggcctcaacc	tctctggggg	gcagaaacag	1920
aggatcagcc	tggcccgcgc	cgtctattcc	gaccgtcaga	tctacctgct	ggacgacccc	1980
ctgtctgctg	tggacgcccc	cgtgggggaag	cacatttttg	aggagtgcac	taagaagaca	2040
ctcaggggga	agacggctgt	cctgggtgac	caccagctgc	agtacttaga	atthttgtggc	2100
cagatcattt	tgtttgaaaa	tgggaaaaatc	tgtgaaaatg	gaactcacag	tgagttaatg	2160
cagaaaaaagg	ggaaatatgc	ccaacttatc	cagaagatgc	acaagggaagc	cacttcgggtt	2220
ttccgctgcc	ccatgagttt	ctttgacacc	atcccaatag	gccggctttt	gaactgcttc	2280
gcaggggact	tggaacagct	ggaccagctc	ttgcccatct	tttcagagca	gttcctgggtc	2340
ctgtccttaa	tgggtgatcgc	cgtcctgttg	attgtcagtg	tgctgtctcc	atatatcctg	2400
ttaatgggag	ccataatcat	ggttattttgc	ttcattttatt	atatgtga		2448

<210> 20
 <211> 812

<212> PRT

<213> homo sapiens

<400> 20

Met Thr Arg Lys Arg Thr Tyr Trp Val Pro Asn Ser Ser Gly Gly Leu
1 5 10 15
Val Asn Arg Gly Ile Asp Ile Gly Asp Asp Met Val Ser Gly Leu Ile
20 25 30
Tyr Lys Thr Tyr Thr Leu Gln Asp Gly Pro Trp Ser Gln Gln Glu Arg
35 40 45
Asn Pro Glu Ala Pro Gly Arg Ala Ala Val Pro Pro Trp Gly Lys Tyr
50 55 60
Asp Ala Ala Leu Arg Thr Met Ile Pro Phe Arg Pro Lys Pro Arg Phe
65 70 75 80
Pro Ala Pro Gln Pro Leu Gly Leu Phe Ser Tyr Leu Thr Val Ser Trp
85 90 95
Leu Thr Pro Leu Met Ile Gln Ser Leu Arg Ser Arg Leu Asp Glu Asn
100 105 110
Thr Ile Pro Pro Leu Ser Val His Asp Ala Ser Asp Lys Asn Val Gln
115 120 125
Arg Leu His Arg Leu Trp Glu Glu Glu Val Ser Arg Arg Gly Ile Glu
130 135 140
Lys Ala Ser Val Leu Leu Val Met Leu Arg Phe Gln Arg Thr Arg Leu
145 150 155 160
Ile Phe Asp Ala Leu Leu Gly Ile Cys Phe Cys Ile Ala Ser Val Leu
165 170 175
Gly Pro Ile Leu Ile Ile Pro Lys Ile Leu Glu Tyr Ser Glu Glu Gln
180 185 190
Leu Gly Asn Val Val His Gly Val Gly Leu Cys Phe Ala Leu Phe Leu
195 200 205
Ser Glu Cys Val Lys Ser Leu Ser Phe Ser Ser Ser Trp Ile Ile Asn
210 215 220
Gln Arg Thr Ala Ile Arg Phe Gln Ala Ala Val Ser Ser Phe Ala Phe
225 230 235 240
Glu Lys Leu Ile Gln Phe Lys Ser Val Ile His Ile Thr Ser Gly Glu
245 250 255
Ala Ile Ser Phe Phe Thr Gly Asp Val Asn Tyr Leu Phe Glu Gly Val
260 265 270
Cys Tyr Gly Pro Leu Val Leu Ile Thr Cys Ala Ser Leu Val Ile Cys
275 280 285
Ser Ile Ser Ser Tyr Phe Ile Ile Gly Tyr Thr Ala Phe Ile Ala Ile
290 295 300
Leu Cys Tyr Leu Leu Val Phe Pro Leu Glu Val Phe Met Thr Arg Met
305 310 315 320
Ala Val Lys Ala Gln His His Thr Ser Glu Val Ser Asp Gln Arg Ile
325 330 335
Arg Val Thr Ser Glu Val Leu Thr Cys Ile Lys Leu Ile Lys Met Tyr
340 345 350
Thr Trp Glu Lys Pro Phe Ala Lys Ile Ile Glu Asp Leu Arg Arg Lys
355 360 365
Glu Arg Lys Leu Leu Glu Lys Cys Gly Leu Val Gln Ser Leu Thr Ser
370 375 380
Ile Thr Leu Phe Ile Ile Pro Thr Val Ala Thr Ala Val Trp Val Leu
385 390 395 400
Ile His Thr Ser Leu Lys Leu Lys Leu Thr Ala Ser Met Ala Phe Ser
405 410 415

Met Leu Ala Ser Leu Asn Leu Leu Arg Leu Ser Val Phe Phe Val Pro
 420 425 430
 Ile Ala Val Lys Gly Leu Thr Asn Ser Lys Ser Ala Val Met Arg Phe
 435 440 445
 Lys Lys Phe Phe Leu Gln Glu Ser Pro Val Phe Tyr Val Gln Thr Leu
 450 455 460
 Gln Asp Pro Ser Lys Ala Leu Val Phe Glu Glu Ala Thr Leu Ser Trp
 465 470 475 480
 Gln Gln Thr Cys Pro Gly Ile Val Asn Gly Ala Leu Glu Leu Glu Arg
 485 490 495
 Asn Gly His Ala Ser Glu Gly Met Thr Arg Pro Arg Asp Ala Leu Gly
 500 505 510
 Pro Glu Glu Glu Gly Asn Ser Leu Gly Pro Glu Leu His Lys Ile Asn
 515 520 525
 Leu Val Val Ser Lys Gly Met Met Leu Gly Val Cys Gly Asn Thr Gly
 530 535 540
 Ser Gly Lys Ser Ser Leu Leu Ser Ala Ile Leu Glu Glu Met His Leu
 545 550 555 560
 Leu Glu Gly Ser Val Gly Val Gln Gly Ser Leu Ala Tyr Val Pro Gln
 565 570 575
 Gln Ala Trp Ile Val Ser Gly Asn Ile Arg Glu Asn Ile Leu Met Gly
 580 585 590
 Gly Ala Tyr Asp Lys Ala Arg Tyr Leu Gln Val Leu His Cys Cys Ser
 595 600 605
 Leu Asn Arg Asp Leu Glu Leu Leu Pro Phe Gly Asp Met Thr Glu Ile
 610 615 620
 Gly Glu Arg Gly Leu Asn Leu Ser Gly Gly Gln Lys Gln Arg Ile Ser
 625 630 635 640
 Leu Ala Arg Ala Val Tyr Ser Asp Arg Gln Ile Tyr Leu Leu Asp Asp
 645 650 655
 Pro Leu Ser Ala Val Asp Ala His Val Gly Lys His Ile Phe Glu Glu
 660 665 670
 Cys Ile Lys Lys Thr Leu Arg Gly Lys Thr Val Val Leu Val Thr His
 675 680 685
 Gln Leu Gln Tyr Leu Glu Phe Cys Gly Gln Ile Ile Leu Leu Glu Asn
 690 695 700
 Gly Lys Ile Cys Glu Asn Gly Thr His Ser Glu Leu Met Gln Lys Lys
 705 710 715 720
 Gly Lys Tyr Ala Gln Leu Ile Gln Lys Met His Lys Glu Ala Thr Ser
 725 730 735
 Val Phe Arg Cys Pro Met Ser Phe Phe Asp Thr Ile Pro Ile Gly Arg
 740 745 750
 Leu Leu Asn Cys Phe Ala Gly Asp Leu Glu Gln Leu Asp Gln Leu Leu
 755 760 765
 Pro Ile Phe Ser Glu Gln Phe Leu Val Leu Ser Leu Met Val Ile Ala
 770 775 780
 Val Leu Leu Ile Val Ser Val Leu Ser Pro Tyr Ile Leu Leu Met Gly
 785 790 795 800
 Ala Ile Ile Met Val Ile Cys Phe Ile Tyr Tyr Met
 805 810

<210> 21
 <211> 2586
 <212> DNA
 <213> homo sapiens

<400> 21

atgactagga	agaggacata	ctgggtgccc	aactcttctg	gtggcctcgt	gaatcgtggc	60
atcgacatag	gcgatgacat	ggtttcagga	cttattttata	aaacctatac	tctccaagat	120
ggcccttgga	gtcagcaaga	gagaaatcct	gaggctccag	ggagggcagc	tgtcccaccg	180
tgggggaagt	atgatgctgc	cttgagaacc	atgattccct	tccgtcccaa	gccgagggtt	240
cctgcccccc	agcccttgga	caatgctggc	ctgttctcct	acctcaccgt	gtcatggctc	300
accccgctca	tgatccaaag	cttacggagt	cgcttagatg	agaacaccat	ccctccactg	360
tcagtccatg	atgcctcaga	caaaaatgtc	caaaggcttc	accgcctttg	ggaagaagaa	420
gtctcaaggc	gagggattga	aaaagcttca	gtgcttctgg	tgatgctgag	gttccagaga	480
acaaggttga	ttttcgatgc	acttctgggc	atctgcttct	gcattgccag	tgtactcggg	540
ccaatattga	ttataccaaa	gatcctggaa	tattcagaag	agcagttggg	gaatgttgct	600
catggagtgg	gactctgctt	tgcccttttt	ctctccgaat	gtgtgaagtc	tctgagtttc	660
tcctccagtt	ggatcatcaa	ccaacgcaca	gccatcaggt	tccaagcagc	tgtttccctc	720
tttgcctttg	agaagctcat	ccaatttaag	tctgtaatac	acatcacctc	aggagaggcc	780
atcagcttct	tcacgggtga	tgtaaaactac	ctgtttgaag	gggtgtgcta	tggacccta	840
gtactgatca	cctgcgcatac	cttggtcatc	tgcagcattt	cttctacttt	cattattgga	900
tacactgcat	ttattgccat	cttatgctat	ctcctgggtt	tccactgga	ggtattcatg	960
acaagaatgg	ctgtgaaggc	tcagcatcac	acatctgagg	tcagcgacca	gcgcattccgt	1020
gtgaccagtg	aagttctcac	ttgcattaag	ctgattaaaa	tgtacacatg	ggagaaacca	1080
tttgcaaaaa	tcattgaaga	cctaagaagg	aaggaaagga	agctattgga	gaagtgcggg	1140
cttgtccaga	gcctgacaag	tataaccttg	ttcatcatcc	ccacagtggc	cacagcggtc	1200
tgggttctca	tccacacatc	cttaaagctg	aaactcacag	cgtcaatggc	cttcagcatg	1260
ctggcctcct	tgaatctcct	tcggctgtca	gtgttctttg	tgctatttgc	agtcaaaggt	1320
ctcacgaatt	ccaagtctgc	agtgatgagg	ttcaagaagt	ttttcctcca	ggagagccct	1380
gttttctatg	tccagacatt	acaagacccc	agcaaagctc	tggtctttga	ggaggccacc	1440
ttgtcatggc	aacagacctg	tcccgggatc	gtcaatgggg	cactggagct	ggagagggaac	1500
gggcatgctt	ctgaggggat	gaccaggcct	agagatgccc	tcggggccaga	ggaagaaggg	1560
aacagcctgg	gcccagagtt	gcacaagatc	aacctgggtg	tgtccaaggg	gatgatgtta	1620
ggggctctgcg	gcaacacggg	gagtggtaag	agcagcctgt	tgtcagccat	cctggaggag	1680
atgcacttgc	tcgagggctc	ggtgggggtg	cagggaagcc	tggcctatgt	ccccagcag	1740
gcctggatcg	tcagcgggaa	catcaggggag	aacatcctca	tgggaggcgc	atatgacaag	1800
gcccgatacc	tccaggtgct	ccactgctgc	tccctgaatc	gggacctgga	acttctgccc	1860
tttggagaca	tgacagagat	tggagagcgg	ggcctcaacc	tctctggggg	gcagaaacag	1920
aggatcagcc	tggcccgcgc	cgtctattcc	gaccgtcaga	tctacctgct	ggacgacccc	1980
ctgtctgctg	tggacgccc	cgtggggaag	cacatttttg	aggagtgc	taagaagaca	2040
ctcaggggga	agacggtcgt	cctgggtgacc	caccagctgc	agtacttaga	attttgtggc	2100
cagatcattt	tggttgaaaa	tgggaaaaatc	tgtgaaaatg	gaactcacag	tgagttaatg	2160
cagaaaaagg	ggaaatatgc	ccaacttatac	cagaagatgc	acaaggaagc	cacttcgggt	2220
ttccgctgcc	ccatgagttt	ctttgacacc	atcccaatag	gccggctttt	gaactgcttc	2280
gcaggggact	tggaacagct	ggaccagctc	ttgcccatct	tttcagagca	gttctctgtc	2340
ctgtccttaa	tggatgatgc	cgtcctgttg	attgtcagtg	tgctgtctcc	atatatcctg	2400
ttaatgggag	ccataatcat	ggttatttgc	ttcatttatt	atatgatgtt	caagaaggcc	2460
atcgggtgtg	tcaagagact	ggagaactat	agccggtctc	ctttattctc	ccacatcctc	2520
aattctctgc	aaggcctgag	ctccatccat	gtctatggaa	aaactgaaga	cttcacagc	2580
cagtga						2586

<210> 22

<211> 858

<212> PRT

<213> homo sapiens

<400> 22

Met	Thr	Arg	Lys	Arg	Thr	Tyr	Trp	Val	Pro	Asn	Ser	Ser	Gly	Gly	Leu
1				5					10					15	
Val	Asn	Arg	Gly	Ile	Asp	Ile	Gly	Asp	Asp	Met	Val	Ser	Gly	Leu	Ile
			20					25						30	

Tyr Lys Thr Tyr Thr Leu Gln Asp Gly Pro Trp Ser Gln Gln Glu Arg
 35 40 45
 Asn Pro Glu Ala Pro Gly Arg Ala Ala Val Pro Pro Trp Gly Lys Tyr
 50 55 60
 Asp Ala Ala Leu Arg Thr Met Ile Pro Phe Arg Pro Lys Pro Arg Phe
 65 70 75 80
 Pro Ala Pro Gln Pro Leu Gly Leu Phe Ser Tyr Leu Thr Val Ser Trp
 85 90 95
 Leu Thr Pro Leu Met Ile Gln Ser Leu Arg Ser Arg Leu Asp Glu Asn
 100 105 110
 Thr Ile Pro Pro Leu Ser Val His Asp Ala Ser Asp Lys Asn Val Gln
 115 120 125
 Arg Leu His Arg Leu Trp Glu Glu Val Ser Arg Arg Gly Ile Glu
 130 135 140
 Lys Ala Ser Val Leu Leu Val Met Leu Arg Phe Gln Arg Thr Arg Leu
 145 150 155 160
 Ile Phe Asp Ala Leu Leu Gly Ile Cys Phe Cys Ile Ala Ser Val Leu
 165 170 175
 Gly Pro Ile Leu Ile Ile Pro Lys Ile Leu Glu Tyr Ser Glu Glu Gln
 180 185 190
 Leu Gly Asn Val Val His Gly Val Gly Leu Cys Phe Ala Leu Phe Leu
 195 200 205
 Ser Glu Cys Val Lys Ser Leu Ser Phe Ser Ser Ser Trp Ile Ile Asn
 210 215 220
 Gln Arg Thr Ala Ile Arg Phe Gln Ala Ala Val Ser Ser Phe Ala Phe
 225 230 235 240
 Glu Lys Leu Ile Gln Phe Lys Ser Val Ile His Ile Thr Ser Gly Glu
 245 250 255
 Ala Ile Ser Phe Phe Thr Gly Asp Val Asn Tyr Leu Phe Glu Gly Val
 260 265 270
 Cys Tyr Gly Pro Leu Val Leu Ile Thr Cys Ala Ser Leu Val Ile Cys
 275 280 285
 Ser Ile Ser Ser Tyr Phe Ile Ile Gly Tyr Thr Ala Phe Ile Ala Ile
 290 295 300
 Leu Cys Tyr Leu Leu Val Phe Pro Leu Glu Val Phe Met Thr Arg Met
 305 310 315 320
 Ala Val Lys Ala Gln His His Thr Ser Glu Val Ser Asp Gln Arg Ile
 325 330 335
 Arg Val Thr Ser Glu Val Leu Thr Cys Ile Lys Leu Ile Lys Met Tyr
 340 345 350
 Thr Trp Glu Lys Pro Phe Ala Lys Ile Ile Glu Asp Leu Arg Arg Lys
 355 360 365
 Glu Arg Lys Leu Leu Glu Lys Cys Gly Leu Val Gln Ser Leu Thr Ser
 370 375 380
 Ile Thr Leu Phe Ile Ile Pro Thr Val Ala Thr Ala Val Trp Val Leu
 385 390 395 400
 Ile His Thr Ser Leu Lys Leu Lys Leu Thr Ala Ser Met Ala Phe Ser
 405 410 415
 Met Leu Ala Ser Leu Asn Leu Leu Arg Leu Ser Val Phe Phe Val Pro
 420 425 430
 Ile Ala Val Lys Gly Leu Thr Asn Ser Lys Ser Ala Val Met Arg Phe
 435 440 445
 Lys Lys Phe Phe Leu Gln Glu Ser Pro Val Phe Tyr Val Gln Thr Leu
 450 455 460
 Gln Asp Pro Ser Lys Ala Leu Val Phe Glu Glu Ala Thr Leu Ser Trp
 465 470 475 480

Gln Gln Thr Cys Pro Gly Ile Val Asn Gly Ala Leu Glu Leu Glu Arg
 485 490 495
 Asn Gly His Ala Ser Glu Gly Met Thr Arg Pro Arg Asp Ala Leu Gly
 500 505 510
 Pro Glu Glu Glu Gly Asn Ser Leu Gly Pro Glu Leu His Lys Ile Asn
 515 520 525
 Leu Val Val Ser Lys Gly Met Met Leu Gly Val Cys Gly Asn Thr Gly
 530 535 540
 Ser Gly Lys Ser Ser Leu Leu Ser Ala Ile Leu Glu Glu Met His Leu
 545 550 555 560
 Leu Glu Gly Ser Val Gly Val Gln Gly Ser Leu Ala Tyr Val Pro Gln
 565 570 575
 Gln Ala Trp Ile Val Ser Gly Asn Ile Arg Glu Asn Ile Leu Met Gly
 580 585 590
 Gly Ala Tyr Asp Lys Ala Arg Tyr Leu Gln Val Leu His Cys Cys Ser
 595 600 605
 Leu Asn Arg Asp Leu Glu Leu Leu Pro Phe Gly Asp Met Thr Glu Ile
 610 615 620
 Gly Glu Arg Gly Leu Asn Leu Ser Gly Gly Gln Lys Gln Arg Ile Ser
 625 630 635 640
 Leu Ala Arg Ala Val Tyr Ser Asp Arg Gln Ile Tyr Leu Leu Asp Asp
 645 650 655
 Pro Leu Ser Ala Val Asp Ala His Val Gly Lys His Ile Phe Glu Glu
 660 665 670
 Cys Ile Lys Lys Thr Leu Arg Gly Lys Thr Val Val Leu Val Thr His
 675 680 685
 Gln Leu Gln Tyr Leu Glu Phe Cys Gly Gln Ile Ile Leu Leu Glu Asn
 690 695 700
 Gly Lys Ile Cys Glu Asn Gly Thr His Ser Glu Leu Met Gln Lys Lys
 705 710 715 720
 Gly Lys Tyr Ala Gln Leu Ile Gln Lys Met His Lys Glu Ala Thr Ser
 725 730 735
 Val Phe Arg Cys Pro Met Ser Phe Phe Asp Thr Ile Pro Ile Gly Arg
 740 745 750
 Leu Leu Asn Cys Phe Ala Gly Asp Leu Glu Gln Leu Asp Gln Leu Leu
 755 760 765
 Pro Ile Phe Ser Glu Gln Phe Leu Val Leu Ser Leu Met Val Ile Ala
 770 775 780
 Val Leu Leu Ile Val Ser Val Leu Ser Pro Tyr Ile Leu Leu Met Gly
 785 790 795 800
 Ala Ile Ile Met Val Ile Cys Phe Ile Tyr Tyr Met Met Phe Lys Lys
 805 810 815
 Ala Ile Gly Val Phe Lys Arg Leu Glu Asn Tyr Ser Arg Ser Pro Leu
 820 825 830
 Phe Ser His Ile Leu Asn Ser Leu Gln Gly Leu Ser Ser Ile His Val
 835 840 845
 Tyr Gly Lys Thr Glu Asp Phe Ile Ser Gln
 850 855

<210> 23
 <211> 3660
 <212> DNA
 <213> homo sapiens

<400> 23
 atgactagga agaggacata ctgggtgccc aactcttctg gtggcctcgt gaatcgtggc

60

atcgacatag	gcgatgacat	ggtttcagga	cttattttata	aaacctatac	tctccaagat	120
ggccccctgga	gtcagcaaga	gagaaatcct	gaggctccag	ggagggcagc	tgtcccaccg	180
tgggggaagt	atgatgctgc	cttgagaacc	atgattccct	tccgtcccaa	gccgagggttt	240
cctgcccccc	agccccctgga	caatgctggc	ctgtttctcct	acctcacctg	gtcatggctc	300
accccgctca	tgatccaaag	cttacggagt	cgcttagatg	agaacaccat	ccctccactg	360
tcagtccatg	atgcctcaga	caaaaatgtc	caaaggcttc	accgcctttg	ggaagaagaa	420
gtctcaaggc	gagggattga	aaaagcttca	gtgcttctgg	tgatgctgag	gttccagaga	480
acaaggttga	ttttcgatgc	acttctgggc	atctgcttct	gcattgccag	tgtactcggg	540
ccaatattga	ttataccaaa	gatcctggaa	tattcagaag	agcagttggg	gaatgttgct	600
catggagtgg	gactctgctt	tgcccttttt	ctctccgaat	gtgtgaagtc	tctgagtttc	660
tcctccagtt	ggatcatcaa	ccaacgcaca	gccatcaggt	tccaagcagc	tgtttccctc	720
tttgcccttg	agaagctcat	ccaatttaag	tctgtaatac	acatcacctc	aggagaggcc	780
atcagcttct	tcaccgggtga	tgtaaaactac	ctgtttgaag	gggtgtgcta	tggaccccta	840
gtactgatca	cctgcgcatac	cttgggtcatc	tcagcatttt	cttctacttt	cattattgga	900
tacactgcat	ttattgccat	cttatgctat	ctcctggttt	tccactgga	ggtattcatg	960
acaagaatgg	ctgtgaaggc	tcagcatcac	acatctgagg	tcagcgacca	gcgcattccg	1020
gtgaccagtg	aagttctcac	ttgcattaag	ctgattaaaa	tgtacacatg	ggagaaacca	1080
tttgcaaaaa	tcattgaaga	cctaagaagg	aaggaaagga	agctattgga	gaagtgcggg	1140
cttgtccaga	gcctgacaag	tataaccttg	ttcatcatcc	ccacagtggc	cacagcggtc	1200
tgggttctca	tcacacatc	cttaaagctg	aaactcacag	cgtcaatggc	cttcagcatg	1260
ctggcctcct	tgaatctcct	tcggctgtca	gtgttctttg	tgctatttgc	agtcaaaggt	1320
ctcacgaatt	ccaagtctgc	agtgatgagg	ttcaagaagt	ttttcctcca	ggagagccct	1380
gttttctatg	tccagacatt	acaagacccc	agcaaagctc	tggtctttga	ggaggccacc	1440
ttgtcatggc	aacagacctg	tcccgggatac	gtcaatgggg	cactggagct	ggagagggaac	1500
gggcatgctt	ctgaggggat	gaccaggcct	agagatgccc	tcggggccaga	ggaagaaggg	1560
aacagcctgg	gcccagagtt	gcacaagatc	aacctgggtg	tgtccaaggg	gatgatgtta	1620
ggggtctgcg	gcaacacggg	gagtggtaag	agcagcctgt	tgtcagccat	cctggaggag	1680
atgcacttgc	tcgagggctc	ggtgggggtg	cagggaagcc	tggcctatgt	ccccagcag	1740
gcctggatcg	tcagcgggaa	catcagggag	aacatcctca	tgggaggcgc	atatgacaag	1800
gcccgatacc	tccaggtgct	ccactgctgc	tccctgaatc	gggacctgga	acttctgccc	1860
tttgagagaca	tgacagagat	tggagagcgg	ggcctcaacc	tctctggggg	gcagaaacag	1920
aggatcagcc	tggcccgcgc	cgtctattcc	gaccgtcaga	tctacctgct	ggacgacccc	1980
ctgtctgctg	tggacgcca	cgtggggaag	cacatttttg	aggagtgcac	taagaagaca	2040
ctcaggggga	agacggtcgt	cctgggtgacc	caccagctgc	agtacttaga	atthtggggc	2100
cagatcattt	tgttggaata	tgggaaatc	tgtgaaatg	gaactcacag	tgagttaatg	2160
cagaaaaagg	ggaaatatgc	ccaacttata	cagaagatgc	acaagggaagc	cacttcgggt	2220
ttccgctgcc	ccatgagttt	ctttgacacc	atcccaatag	gccggctttt	gaactgcttc	2280
gcaggggact	tggaaacagct	ggaccagctc	ttgcccattc	tttcagagca	gttccctggc	2340
ctgtccttaa	tgggtgatcg	cgtcctgttg	attgtcagtg	tgctgtctcc	atatatcctg	2400
ttaatgggag	ccataatcat	ggttattttg	ttcatttatt	atatgatgtt	caagaaggcc	2460
atcgggtgtg	tcaagagact	ggagaactat	agccgggtct	ctttattctc	ccacatcctc	2520
aattctctgc	aaggcctgag	ctccatccat	gtctatggaa	aaactgaaga	cttcatcagc	2580
cagtttaaga	ggctgactga	tgcgcagaat	aactacctgc	tgttggtttc	atcttccaca	2640
cgatggatgg	cattgaggct	ggagatcatg	accaaccttg	tgaccttggc	tgttgccctg	2700
ttcgtggctt	ttggcatttc	ctccaccccc	tactccttta	aagtcattgg	tgtcaacatc	2760
gtgctgcagc	tggcgtccag	cttccaggcc	actgcccggg	ttggcttgga	gacagaggca	2820
cagttcacgg	ctgtagagag	gatactgcag	tacatgaaga	tgtgtgtctc	ggaagctcct	2880
ttacacatgg	aaggcacaag	ttgtccccag	gggtggccac	agcatgggga	aatcatattt	2940
caggattatc	acatgaaata	cagagacaac	acaccaccg	tgcttcacgg	catcaacctg	3000
accatccgcg	gccacgaagt	ggtgggcatac	gtgggaagga	cgggctctgg	gaagtccctc	3060
ttgggcatgg	ctctcttccg	cctgggtggag	ccatgggcag	gccggattct	cattgacggc	3120
gtggacattt	gcagcatcgg	cctggaggac	ttgcggtcca	agctctcagt	gatccctcaa	3180
gatccagtgc	tgctctcagg	aaccatcaga	ttcaacctag	atccctttga	ccgtcacact	3240
gaccagcaga	tctgggatgc	cttggagagg	acattcctga	ccaaggccat	ctcaaagttc	3300
ccaaaaaagc	tgcatacaga	tgtgggtggaa	aacgggtggaa	acttctctgt	gggggagagg	3360
cagctgctct	gcattgccag	ggctgtgctt	cgcaactcca	agatcatcct	tatcgatgaa	3420


```

gccacagcct ccattgacat ggagacagac accctgatcc agcgcacaat ccgtgaagcc 3480
ttccagggct gcaccgtgct cgtcattgcc caccgtgtca ccactgtgct gaactgtgac 3540
cacatcctgg ttatgggcaa tgggaagggtg gtagaatttg atcggccgga ggtactgcgg 3600
aagaagcctg ggtcattggt cgcagccctc atggccacag ccacttcttc actgagataa 3660

```

```

<210> 24
<211> 1216
<212> PRT
<213> homo sapiens

```

```

<400> 24
Met Thr Arg Lys Arg Thr Tyr Trp Val Pro Asn Ser Ser Gly Gly Leu
 1          5          10          15
Val Asn Arg Gly Ile Asp Ile Gly Asp Met Val Ser Gly Leu Ile
 20          25          30
Tyr Lys Thr Tyr Thr Leu Gln Asp Gly Pro Trp Ser Gln Gln Glu Arg
 35          40          45
Asn Pro Glu Ala Pro Gly Arg Ala Ala Val Pro Pro Trp Gly Lys Tyr
 50          55          60
Asp Ala Ala Leu Arg Thr Met Ile Pro Phe Arg Pro Lys Pro Arg Phe
 65          70          75          80
Pro Ala Pro Gln Pro Leu Gly Leu Phe Ser Tyr Leu Thr Val Ser Trp
 85          90          95
Leu Thr Pro Leu Met Ile Gln Ser Leu Arg Ser Arg Leu Asp Glu Asn
100          105          110
Thr Ile Pro Pro Leu Ser Val His Asp Ala Ser Asp Lys Asn Val Gln
115          120          125
Arg Leu His Arg Leu Trp Glu Glu Glu Val Ser Arg Arg Gly Ile Glu
130          135          140
Lys Ala Ser Val Leu Leu Val Met Leu Arg Phe Gln Arg Thr Arg Leu
145          150          155          160
Ile Phe Asp Ala Leu Leu Gly Ile Cys Phe Cys Ile Ala Ser Val Leu
165          170          175
Gly Pro Ile Leu Ile Ile Pro Lys Ile Leu Glu Tyr Ser Glu Glu Gln
180          185          190
Leu Gly Asn Val Val His Gly Val Gly Leu Cys Phe Ala Leu Phe Leu
195          200          205
Ser Glu Cys Val Lys Ser Leu Ser Phe Ser Ser Ser Trp Ile Ile Asn
210          215          220
Gln Arg Thr Ala Ile Arg Phe Gln Ala Ala Val Ser Ser Phe Ala Phe
225          230          235          240
Glu Lys Leu Ile Gln Phe Lys Ser Val Ile His Ile Thr Ser Gly Glu
245          250          255
Ala Ile Ser Phe Phe Thr Gly Asp Val Asn Tyr Leu Phe Glu Gly Val
260          265          270
Cys Tyr Gly Pro Leu Val Leu Ile Thr Cys Ala Ser Leu Val Ile Cys
275          280          285
Ser Ile Ser Ser Tyr Phe Ile Ile Gly Tyr Thr Ala Phe Ile Ala Ile
290          295          300
Leu Cys Tyr Leu Leu Val Phe Pro Leu Glu Val Phe Met Thr Arg Met
305          310          315          320
Ala Val Lys Ala Gln His His Thr Ser Glu Val Ser Asp Gln Arg Ile
325          330          335
Arg Val Thr Ser Glu Val Leu Thr Cys Ile Lys Leu Ile Lys Met Tyr
340          345          350
Thr Trp Glu Lys Pro Phe Ala Lys Ile Ile Glu Asp Leu Arg Arg Lys

```


<400> 25

agagacagga	acagagcccc	tcattctcacc	tctgggctac	catacagaaa	agcagggtgta	60
tttgaataaaa	ccagggttggc	aaatcatact	atagctgaaa	gaattggcag	gaactgaaaa	120
tgactaggaa	gaggacatac	tgggtgcccc	actcttcttg	tggcctcgtg	aatcgtggca	180
tcgacatagg	cgatgacatg	gtttcaggac	ttattttataa	aacctatact	ctccaagatg	240
gccccctggag	tcagcaagag	agaaatcctg	aggctccagg	gagggcagct	gtcccaccgt	300
gggggaagta	tgatgctgcc	ttgagaacca	tgattccctt	ccgtcccaag	ccgagggtttc	360
ctgcccccca	gccccctggac	aatgctggcc	tgtttctccta	cctcaccgtg	tcattggctca	420
ccccgctcat	gatccaaagc	ttacgggagtc	gcttagatga	gaacaccatc	cctccactgt	480
cagtccatga	tgctcagac	aaaaatgtcc	aaaggcttca	ccgccttttg	gaagaagaag	540
tctcaaggcg	agggattgaa	aaagcttcag	tgcttctggg	gatgctgagg	ttccagagaa	600
caagggttgat	tttcatgca	cttctgggca	tctgcttctg	cattgccagt	gtactcgggc	660
cagactgcac	caatggggga	ggtgggagtc	ttcccagaag	aaaactgagg	cactggtacc	720
agctacgggg	aggtgaagat	attgattata	ccaaagatcc	tggaaatattc	agaagagcag	780
ttggggaatg	ttgtccatgg	agtgggactc	tgctttggcc	tttttctctc	cgaatgtgtg	840
aagtctctga	gtttctcctc	cagttggatc	atcaaccaac	gcacagccat	caggttccaa	900
gcagctgttt	cctcctttgc	ctttgagaag	ctcatccaat	ttaagtctgt	aatacacatc	960
acctcaggag	aggccatcag	cttcttcacc	ggtgatgtaa	actacctgtt	tgaagggggtg	1020
tgctatggac	ccctagtact	gatcacctgc	gcacgcgtgg	tcattctgcag	catttcttcc	1080
tacttcatta	ttggatacac	tgcatttatt	gccatcttat	gctatctcct	ggttttccca	1140
ctggaggtat	tcattgacaag	aatggctgtg	aaggctcagc	atcacacatc	tgagggtcagc	1200
gaccagcgca	tccgtgtgac	cagtgaagtt	ctcacttgca	ttaagctgat	taaaatgtac	1260
acatgggaga	aaccatttgc	aaaaatcatt	gaagacctaa	gaaggaagga	aaggaagcta	1320
ttggagaagt	gcgggcttgt	ccagagcctg	acaagtataa	ccttgttcat	catccccaca	1380
gtggccacag	cgggtctgggt	tctcatccac	acatccttaa	agctgaaact	cacagcgtca	1440
atggccttca	gcattgctggc	ctccttgaat	ctccttcggc	tgtcagtgtt	ctttgtgcct	1500
attgcagtca	aagggtctcac	gaattccaag	tctgcagtga	tgagggttcaa	gaagtttttc	1560
ctccaggaga	gcccctgtttt	ctatgtccag	acattacaag	accccagcaa	agctctggtc	1620
tttgaggagg	ccaccttgctc	atggcaacag	acctgtcccg	ggatcgtcaa	tggggcactg	1680
gagctggaga	ggaacgggca	tgcttctgag	gggatgacca	ggcctagaga	tgccctcggg	1740
ccagaggaag	aaggggaacag	cctggggcca	gagttgcaca	agatcaacct	ggtggtgtcc	1800
aaggggatga	tgttagggtt	ctgcggcaac	acggggagtg	gtaagagcag	cctgttgtca	1860
gccatcctgg	aggagatgca	cttgctcgag	ggctcgggtg	gggtgcaggg	aagcctggcc	1920
tatgtccccc	agcaggcctg	gatcgtcagc	gggaacatca	gggagaacat	cctcatggga	1980
ggcgcatatg	acaaggcccg	atacctccag	gtgctccact	gctgctccct	gaatcgggac	2040
ctggaacttc	tgcccttttg	agacatgaca	gagattggag	agcggggcct	caacctctct	2100
ggggggcaga	aacagaggat	cagcctggcc	cgcgccgtct	attccgaccg	tcagatctac	2160
ctgctggacg	acccctgtc	tgctgtggac	gcccacgtgg	ggaagcacat	ttttgaggag	2220
tgcatthaaga	agacactcag	ggggaagacg	gtcgtcctgg	tgaccaccca	gctgcagtac	2280
ttagaatttt	gtggccagat	cattttgttg	gaaaatggga	aaatctgtga	aaatggaact	2340
cacagtgaat	taatgcagaa	aaaggggaaa	tatgcccaac	ttatccagaa	gatgcacaag	2400
gaagccactt	cggacatgtt	gcaggacaca	gcaaagatag	cagagaagcc	aaaggtagaa	2460
agtcaggctc	tggccacctc	cctggaagag	tctctcaacg	gaaatgctgt	gccggagcat	2520
cagctcacac	aggaggagga	gatggaagaa	ggctccttga	gttgaggggg	ctaccaccac	2580
tacatccagg	cagctggagg	ttacatggtc	tcttgcataa	ttttcttctt	cgtgggtgtg	2640
atcgtcttct	taacgatctt	cagcttcttg	tggctgagct	actggttgga	gcagggtctg	2700
gggaccaata	gcagccgaga	gagcaatgga	accatggcag	acctgggcaa	cattgcagac	2760
aatcctcaac	tgtccttcta	ccagctgggtg	tacgggctca	acgcctgtct	cctcatctgt	2820
gtgggggtct	gctcctcagg	gattttcacc	aaggtcacga	ggaaggcatc	cacggccctg	2880
cacaacaagc	tcttcaacaa	ggttttccgc	tgccccatga	gtttctttga	caccatccca	2940
ataggccggc	ttttgaaactg	cttcgcaggg	gacttggaac	agctggacca	gctcttgccc	3000
atcttttctg	agcagttcct	ggtcctgtcc	ttaatggtga	tcgccgtcct	gttgattgtc	3060
agtgtgctgt	ctccatatat	cctgttaatg	ggagccataa	tcattggttat	ttgcttcatt	3120
tatttatatg	gagtaggttc	tttttgcttg	tgacttgggg	agcaagggtc	gggaccaacc	3180
cagactagat	ggtcccagag	gtggacggtc	caggtccctt	acctccactg	tccatgcagg	3240
atgttcaaga	aggccatcgg	tgtgttcaag	agactggaga	actatagccg	gtctccttta	3300

ttctcccaca	tcctcaattc	tctgcaaggc	ctgagctcca	tccatgtcta	tggaaaaact	3360
gaagacttca	tcagccagtg	agtccttctg	ctgccatttt	gagaatgatg	gaaccaccag	3420
gggtgggtgg	ggagccaggg	aaagaatggg	acgtcttgag	agtggatcat	cttcaaaaag	3480
cattcagaga	gccacattgg	tcgattgaga	cgtatttctt	gagccttcca	gaacctgctg	3540
gaaccattct	ttcattttaag	aggctgactg	atgcgcagaa	taactacctg	ctgttgtttc	3600
tatcttccac	acgatggatg	gcattgaggc	tggagatcat	gaccaacctt	gtgaccttgg	3660
ctgttgccct	gttcgtggct	tttggcattt	cctccacccc	ctactccttt	aaagtcatgg	3720
ctgtcaacat	cgtgctgcag	ctggcgtcca	gcttccaggc	cactgcccgg	attggcttgg	3780
agacagaggc	acagttcacg	gctgtagaga	ggatactgca	gtacatgaag	atgtgtgtct	3840
cggaagctcc	tttacacatg	gaaggcacia	gttgtcccca	gggtgggcca	cagcatgggg	3900
aatcatatt	tcaggattat	cacatgaaat	acagagacaa	cacaccaccc	gtgcttcacg	3960
gcatcaacct	gaccatccgc	ggccacgaag	tgggtgggcat	cgtgggaagg	acgggctctg	4020
ggaagtccct	cttgggcatg	gctctcttcc	gcctgggtga	gcccatggca	ggccggattc	4080
tcattgacgg	cgtggacatt	tgcagcatcg	gcctggagga	cttgcggtcc	aagctctcag	4140
tgatccctca	agatccagtg	ctgctctcag	gaaccatcag	attcaacctt	gatccctttg	4200
accgtcacac	tgaccagcag	atctgggatg	ccttggagag	gacattcctg	accaaggcca	4260
tctcaaagtt	ccccaaaaag	ctgcatacag	atgtggtgga	aaacggtgga	aacttctctg	4320
tgggggagag	gcagctgctc	tgcattgcca	gggctgtgct	tcgcaactcc	aagatcatcc	4380
ttatcgatga	agccacagcc	tccattgaca	tggagacaga	caccctgate	cagcgcacia	4440
tccgtgaagc	cttccagggc	tgcaccgtgc	tcgtcattgc	ccaccgtgtc	accactgtgc	4500
tgaactgtga	ccacatccctg	gttatgggca	atgggaaggt	ggtagaattt	gatcggccgg	4560
aggtactgcg	gaagaagcct	gggtcattgt	tcgcagccct	catggccaca	gccacttctt	4620
cactgagata	aggagatgtg	gagacttcat	ggaggctggc	agctgagctc	agaggttcac	4680
acaggtgcag	cttcgaggcc	cacagtctgc	gaccttcttg	tttggagatg	agaacttctc	4740
ctggaagcag	gggtaaatgt	aggggggggtg	gggattgctg	gatggaaacc	ctggaatagg	4800
ctacttgatg	gctctcaaga	ccttagaacc	ccagaaccat	ctaagacatg	ggattcagtg	4860
atcatgtggt	tctcctttta	acttacatgc	tgaataattt	tataataagg	taaaagctta	4920
tagttttctg	atctgtgtta	gaagtgttgc	aaatgctgta	ctgactttgt	aaaatataaa	4980
actaaggaaa	actcaaaaaa	aaaaaaaaaa	aaaaaaaaaa			5020